

Page: 1 of 5

Infosafe No™ 1CHBE

Issue Date : August 2022 RE-ISSUED by CHEMSUPP

Product Name **DIASTASE LR**

Classified as hazardous

Section 1 - Identif	ication
Product Identifier	DIASTASE LR
Company Product Codes / Numbers / Unique Identifiers	DL026
Company Name	CHEMSUPPLY AUSTRALIA PTY LTD (ABN 19 008 264 211)
Address	38 - 50 Bedford Street GILLMAN SA 5013 Australia
Telephone/Fax Number	Tel: (08) 8440-2000
Emergency Phone Number	CHEMCALL 1800 127 406 (Australia) / +64-4-917-9888 (International)
E-mail Address	www.chemsupply.com.au
Recommended use of the chemical and restrictions on use	Baking, brewing, distilling, manufacture of food products, animal feed, sewage treatment, dry cleaning and laboratory reagent.
Other Names	Name Product Code
	DIASTASE
	a-Amylase
Other Information	ChemSupply Australia Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon ChemSupply Australia Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of ChemSupply Australia Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.
Section 2 - Hazard	l(s) Identification
GHS Classification of the Substance/Mixture	Sensitization - Respiratory: Category 1A
Substance/Mixture Signal Word	DANGER
Hazard Statement (s)	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Pictogram (s)	Health hazard

Precautionary
Statement -
PreventionP261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P285 In case of inadequate ventilation wear respiratory protection.PreventionPrecautionaryInhaledPrecautionaryInhaledStatement -
ResponseP304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air
and keep at rest in a position comfortable for breathing.
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or
doctor/physician.



Page: 2 of 5

Infosafe No™ Product Name	10000	e Date :August 20	22 RE-ISSUED by CHEMSUPP
FIGURE Name			
	Cla	assified as hazardo	DUS
Precautionary Statement – Disposal	P501 Dispose of conte	ents/container to an	approved waste disposal plant.
Section 3 - Compo	osition and Information o	on Ingredients	
Ingredients	Name	CAS	Proportion
	Potassium sulfate a-Amylase	7778-80-5 9001-19-8	94.5-95.5 % 4.5-5.5 %
Section 4 - First A	id Measures		
Inhalation		on if not breathing.	to fresh air immediately. Apply If breathing is difficult, give symptoms appear.
Ingestion	Rinse mouth thoroughly with water immediately, repeat until all traces of product have been removed. Give water to drink. DO NOT INDUCE VOMITING. Seek medical advice if symptoms persist.		
Skin	Wash affected area thoroughly with copious amounts of running water. Remove contaminated clothing and wash before reuse. Seek medical attention in severe cases, or if irritation develops.		
Eye	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. If rapid recovery does not occur, obtain medical attention		
First Aid Facilities	Maintain eyewash four	ntain and drench faci	lities in work area.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of the patient. Consider the effects of potassium salts on the heart.		
Other Information		a Poisons Information	Centre (Phone eg Australia 13 1126;
Section 5 - Firefig	hting Measures		
Hazards from Combustion Products	Irritating and toxic oxides, nitrogen oxid		fur oxides (SO2, SO3, etc.), carbon des.
Specific Methods	No limitations to the type of extinguishing media. Small fire: Use dry chemical, CO2, water spray or foam. Large fire: Use water spray, fog or foam.		
Specific Hazards Arising from the Chemical			oollute waterways. Fire or heat may cosive fumes (e.g. sulphur oxides).
Decomposition Temperature	Can decompose at temp	peratures above 85 °C	· ·
Precautions in connection with Fire	Wear SCBA and structu	ıral firefighter's un	iform.
Section 6 - Accide	ntal Release Measures		
Personal Precautions	Avoid substance conta Ensure supply of free		of dusts: do not inhale dusts.
Personal Protection	Wear protective cloth	ning specified for no	ormal operations (see Section 8)
Clean-up Methods - Small Spillages		, clearly labelled co	ng clean non-sparking tools transfer ontainer for disposal in accordance
Section 7 - Handli	ng and Storage		
Precautions for Safe Handling	clothing. Avoid prolo accumulation. Keep co ventilation. In case equipment. Wear suit Wash hands after work	onged or repeated exp ontainers closed when of insufficient vent table protective clot king with substance.	woid contact with eyes, skin, and bosure. Minimize dust generation and a not in use. Use only with adequate cilation, wear suitable respiratory ching. Change contaminated clothing. Wash thoroughly after handling. s maintained when using this product.



Page: 3 of 5

 storage, including any incompatibilities from moisture. Hygroscopic, store under inert gas. Protect against physical damage. Keep well closed and protected from direct sunlight and moisture. Refrigerate to ensure prolonged activity. Storage Stor at a temperature between 2 and 4 °C. Temperatures Unsuitable Materials Aluminium and magnesium. Section 8 - Exposure Controls and Personal Protection A time weighted average (TWA) concentration for an 8 hour day, and 5 day week has not been established by Safe Work. Australia for this product. There is a blanket limit of 10 mg/m³ for dusts when limits have not otherwise been established. Engineering In industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. Respiratory Where ventilation is not adequate, respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1716 - Respiratory protective Devices and be selected in accordance with AS 1716 - Respiratory protective Devices and be selection is required, institute a complete respiratory type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepice SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection. Eye and Face Protection Hand protection should comply with AS 2161, Occupational protective gloves - Selection, use and maintenance. Recommendation: EVC or rubber	Infosafe No™	1CHBE	Issue Date :August 202	22 RE-ISSUED by CHEMSUPP
That is; always wash hands before eating, drinking, smoking or using the toilet. Protect against physical damage. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.Conditions for safe storage, including any incompatibilities any incompatibilities damage. Keep well closed containers, in a cool, dry, well-ventilated area, awa from moisture. Hygroscopic, store under inert gas. Protect against physical damage. Keep well closed and protected from direct sunlight and moisture. Refrigerate to ensure prolonged activity.Storage temperatures Unsuitable MaterialsAtuminium and magnesium.Section 8 - Exposure Controls and Personal Protection the weighted average (TWA) concentration for an 8 hour day, and 5 day week has not been established by Safe Mork Australia for this product. There is a blanket limit of 10 mg/m² for dusts when limits have not otherwise been established.Engineering ProtectionIn industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods.Respiratory ProtectionWhere ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours or mists. Respiratory protection is negaratory protection is required, institute a complete respiratory protection may be required. Avoid breathing dust, vapours or type depends on exposure levels. In event of emergency or planned entry into unknown concentrations ap ositive pressure, full-facepice SCBA should be used. If respiratory protection selection, use and maintenance and inspection.Fye and Face ProtectionThe use	Product Name	DIASTASE LR		
 tollet. Protect against physical damage. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product. Conditions for safe storage, including form moisture. Hygroscopic, store under inert gas. Protect against physical damage. Keep well closed and protected from direct sunlight and moisture. Refrigerate to ensure prolonged activity. Storage Store at a temperature between 2 and 4 °C. Temperatures Unsuitable Materials Aluminium and magnesium. Section 8 - Exposure Controls and Personal Protection Other Exposure Controls and Personal Protection Other Exposure In industrial situations maintain the concentrations values below the TWA. Controls This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. Respiratory Where ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours or mists. Respiratory protection should comply with As 1716 - Respiratory Protective Devices and Maintenance of Respiratory protection is required, institute a complete respiratory protection is a possive protection. Use and Maintenance of Respiratory protection is required, institute a complete respiratory protection as possive levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepices CBA should be used. If respiratory protection is required, institute a complete respiratory protection is required, institute a complete respiratory protection state shield for the selected and used in accordance with AS 1336. Hand Protection Protection should comply with AS 3161, Occupational protective gloves - Selection, use and maintenance. Recommendation: FVC or rubber gloves - Selection, use and maintenance. Recommendation: FVC or rubber gloves - Selection, use			Classified as hazardo	us
storage, including any incompatibilitiesfrom moisture. Hyproscopic, store under inert gas. Protect against physical damage. Keep well closed and protected from direct sunlight and moisture. Refrigerate to ensure prolonged activity.Storage Unsuitable MaterialsStore at a temperature between 2 and 4 °C.Section 8 - Exposure Controls and Personal Protection Other ExposureA time weighted average (TWA) concentration for an 8 hour day, and 5 day week has not been established by Safe Work Australia for this product. There is a blanket limit of 10 mg/m² for dusts when limits have not otherwise been established.Engineering ControlsIn industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods.Respiratory ProtectionWhere ventilation is not adequate, respiratory protection in accordance with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory protection is protection full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.Eye and Face ProtectionHand protection should comply with AS 2161, Occupational protective gloves - Selection, use and maintenance. Recommendation: PVC or rubber gloves.Personal Protective EquipmentCent of acc shield, chemical goggles or safety glasses with side shield protection and protective clothing should be worn. Clothing for protection gainst chemicals should comply with AS 3765 Clothing for protection gainst chemicals.Hand protection Equipment		toilet. Protec hazardous when	ct against physical damage. (n empty since they retain pro	Containers of this material may be oduct residues (dust, solids);
Temperatures Unsuitable MaterialsAluminium and magnesium.Section 8 - Exposure Controls and Personal ProtectionOther Exposure InformationA time weighted average (TWA) concentration for an 8 hour day, and 5 day week has not been established by Safe Work Australia for this product. There is a blanket limit of 10 mg/m³ for dusts when limits have not otherwise been established.Engineering ControlsIn industrial situations maintain the concentrations values below the TWA. ControlsRespiratory ProtectionWhere ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours or mists. Respiratory protection should comply 	storage, including	Store in tightly closed containers, in a cool, dry, well-ventilated area, away from moisture. Hygroscopic, store under inert gas. Protect against physical damage. Keep well closed and protected from direct sunlight and moisture.		
Unsuitable MaterialsAluminium and magnesium.Section 8 - Exposure Other Exposure InformationA time weighted average (TWA) concentration for an 8 hour day, and 5 day week has not been established by Safe Work Australia for this product. There is a 	U			
Other Exposure InformationA time weighted average (TWA) concentration for an 8 hour day, and 5 day week has not been established by Safe Work Australia for this product. There is a blanket limit of 10 mg/m³ for dusts when limits have not otherwise been established.Engineering ControlsIn industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods.Respiratory ProtectionWhere ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.Eye and Face ProtectionFinal choice of personal protective equipment will depend on individual circumstances and/or according to risk assessments undertaken.Body Protection EquipmentFinal choice of personal protective equipment will depend on individual circumstances and/or according to risk assessments undertaken.Hygiene MeasuresAlways wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or		Aluminium and	magnesium.	
Informationhas not been established by Safe Work Australia for this product. There is a blanket limit of 10 mg/m³ for dusts when limits have not otherwise been established.EngineeringIn industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods.RespiratoryWhere ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours or mists. Respiratory protection should comply with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.Eye and Face ProtectionThe use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with As 1336.Hand Protection EquipmentHand protection should comply with AS 2161, Occupational protective gloves - Selection, use and maintenance. Recommendation: PVC or rubber gloves.Personal Protective EquipmentClean clothing or protective clothing should be worn. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.Hygiene MeasuresAlways wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or	Section 8 - Exposu	re Controls and	Personal Protection	
ControlsThis may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods.RespiratoryWhere ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.Eye and Face ProtectionThe use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.Hand ProtectionHand protection should comply with AS 2161, Occupational protective gloves - Selection, use and maintenance. Recommendation: PVC or rubber gloves.Body ProtectionClean clothing or protective clothing should be worn. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.Hygiene MeasuresAlways wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or		has not been e blanket limit	established by Safe Work Au	stralia for this product. There is a
 Protection Avoid breathing dust, vapours or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection. Eye and Face Protection Hand Protection as appropriate. Must comply with AS 1336. Hand protection should comply with AS 2161, Occupational protective gloves - Selection, use and maintenance. Recommendation: PVC or rubber gloves. Final choice of personal protective equipment will depend on individual circumstances and/or according to risk assessments undertaken. Body Protection Hygiene Measures Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or 		This may be ac	chieved by process modificat:	ion, use of local exhaust
Eye and Face ProtectionThe use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.Hand ProtectionHand protection should comply with AS 2161, Occupational protective gloves - 		Where ventilat Avoid breathin with AS 1716 - with AS 1715 - Devices. Filte event of emerg pressure, full required, inst	tion is not adequate, respira ng dust, vapours or mists. Re- Respiratory Protective Dev Selection, Use and Mainten er capacity and respirator t gency or planned entry into I-facepiece SCBA should be us titute a complete respirator	atory protection may be required. espiratory protection should comply ices and be selected in accordance ance of Respiratory Protective ype depends on exposure levels. In unknown concentrations a positive sed. If respiratory protection is y protection program including
Selection, use and maintenance. Recommendation: PVC or rubber gloves.Personal ProtectiveFinal choice of personal protective equipment will depend on individual circumstances and/or according to risk assessments undertaken.Body ProtectionClean clothing or protective clothing should be worn. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.Hygiene MeasuresAlways wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or	•	The use of a protection as	Eace shield, chemical goggle: appropriate. Must comply w	s or safety glasses with side shield ith Australian Standards AS 1337 and
Equipmentcircumstances and/or according to risk assessments undertaken.Body ProtectionClean clothing or protective clothing should be worn. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.Hygiene MeasuresAlways wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or	Hand Protection			
against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.Hygiene MeasuresAlways wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or			1 1	1
contaminated clothing and other protective equipment before storing or	Body Protection	against chemic	cals should comply with AS 3	
re-using.	Hygiene Measures			
Section 9 - Physical and Chemical Properties	Section 9 - Physics	al and Chemical	Properties	

FormSolidAppearanceLight tan/beige amorphous powder.OdourTypical fermentation odour.Decomposition
TemperatureCan decompose at temperatures above 85 °C.Solubility in WaterSoluble in water.FlammabilityNon combustible material.Explosion PropertiesDust dispersed in air may become explosive when exposed to ignition source.

Section 10 - Stability and Reactivity

Chemical StabilityStable under ordinary conditions of use and storage. Moisture sensitive.Possibility ofMay react with aluminium and magnesium.Hazardous Reactions



Page: 4 of 5

	Page: 4 OI 5	
Infosafe No™	1CHBE Issue Date : August 2022 RE-ISSUED by CHEMSUPP	
Product Name	DIASTASE LR	
	Classified as hazardous	
Conditions to Avoid	Extremes of temperature, direct sunlight, dust generation and incompatible materials.	
Incompatible Materials	Strong oxidisers, aluminium and magnesium.	
Hazardous Decomposition Products	Irritating and toxic gases, including sulfur oxides (SO2, SO3, etc.), carbon oxides, nitrogen oxides and potassium oxides.	
Hazardous Polymerization	Will not occur.	
Section 11 - Toxic	ological Information	
Toxicology Information	No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. If mishandled or overexposed to this product the following symptoms or effects may occur.	
Ingestion	Large oral dosages may produce gastrointestinal disturbances and irritation, causing nausea, vomiting and diarrhoea. Potassium sulfate has been used as a cathartic. Potassium poisoning may occur in rare cases of long exposure or ingestion.	
Inhalation	Inhalation of product dusts may cause mild to moderate irritation to mucous membranes of the nose, throat and respiratory system, with sneezing or coughing.	
Skin	The substance is mildly irritating to the skin, resulting in redness and itching. Risk of sensitization.	
Eye	May cause mild to moderate eye irritation, tearing, stinging, blurred vision, and redness.	
Carcinogenicity	Not listed in the IARC Monographs.	
Reproductive Toxicity	No evidence of reproductive effects.	
Mutagenicity	No evidence of mutagenic effects.	
Chronic Effects	Not expected to be a health hazard. Potassium poisoning may occur in rare cases of long exposure or ingestion by persons suffering with a heart condition, with the following symptoms possibly arising: nausea, vomiting, diarrhoea and abdominal cramps which may lead to weakness, mental confusion, hypotension, paralysis and possible circulatory disturbances including cardiac arrhythmias, heart block and cardiac arrest. Repeated inhalation of the powder may induce sensitization, which may develop into allergic rhinitis and bronchospasm.	
Section 12 - Ecolo	gical Information	
Ecological Information	No ecological problems are to be expected when the product is handled and used with due care and attention.	
Persistence and Degradability	Methods for the determination of biodegradability are not applicable to inorganic substances (Potassium sulphate).	
Bioaccumulative Potential	Concentration in organisms is not to be expected.	
Acute Toxicity - Fish	Lepomis macrochirus LC50: 3550 mg/l /96 h (Potassium sulphate). The following applies to sulfate in general: fish: toxic as from 7 g/l ; bacteria: toxic as from 2.5 g/l.	
Acute Toxicity - Daphnia	Daphnia magna EC50: 890 mg/l /48 h (Potassium sulphate).	
Acute Toxicity -	Desmodesmus subspicatus IC50: 2900 mg/l /72 h (Potassium sulphate).	

Section 13 - Disposal Considerations

Disposal	Whatever cannot be saved for recovery or recycling should be handled as
Considerations	hazardous waste and disposed of according to relevant local, state and federal government regulations.
	governmente regulations.

Section 14 - Transport Information

Algae



Page: 5 of 5

Infosafe No™ 1CHBE

Issue Date : August 2022 RE-I

RE-ISSUED by CHEMSUPP

Product Name **DIASTASE LR**

Classified as hazardous

Transport	Not classified as a Dangerous Good according to the Australian Code for the
Information	Transport of Dangerous Goods by Road and Rail.

Section 15 - Regulatory Information

Poisons Schedule Not Scheduled

Section 16 - Any Other Relevant Information

Literature References	'Standard for the Uniform Scheduling of Medicines and Poisons .', Commonwealth of Australia. National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road and Rail 7th. Ed.'. Safe Work Australia, 'National Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals'. Standards Australia, 'SAA/SNZ HB 76:2010 Dangerous Goods - Initial Emergency Response Guide', Standards Australia/Standards New Zealand. Safe Work Australia, 'Hazardous Chemical Information System'. Safe Work Australia, 'National Code of Practice for the Labelling of Safe Work Hazardous Substances'. Safe Work Australia, 'National Exposure Standards for Atmospheric Contaminants
Contact Person/Point	in the Occupational Environment'. Paul McCarthy Ph. (08) 8440 2000 DISCLAIMER STATEMENT: All information provided in this data sheet or by our technical representatives is compiled from the best knowledge available to us. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use, or misuse, are beyond our control, we make no warranty either expressed or implied, with respect to the completeness or accuracy to the information contained herein. ChemSupply Australia Pty Ltd accepts no responsibility whatsoever for its accuracy or for any results that may be obtained by customers from using the data and disclaims all liability for reliance on information provided in this data sheet or by our technical representatives. End Of MSDS

© Copyright Chemical Safety International Pty Ltd Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.