

AUSTRALIAN CHEMICAL REAGENTS
SAFETY DATA SHEET

Date Prepared: July 2024
Version No: 6

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Copper Sulphate Solution
Product Code: 4210
Other Names: Nil
Uses: Analytical Reagent

Supplier: Australian Chemical Reagents
38-50 Bedford Street Gillman SA 5013

Contacts: Telephone: 61 08 84402000
Fax: 61 08 84402001

Emergency Phone: [CHEMCALL 1800 127 406 \(Australia\)](tel:1800127406) / [+64-4-917-9888 \(International\)](tel:+6449179888)

2. HAZARDS INFORMATION

GHS Classification

Corrosive to metals: Category 1
Acute toxicity – Oral: Category 4
Skin corrosion/irritation: Category 2
Serious eye damage/irritation: Category 2A
Hazardous to the Aquatic Environment - Acute Hazard: Category 1
Hazardous to the Aquatic Environment - Long-Term Hazard: Category 1

Signal Word(s) Pictogram(s)

WARNING



Hazard Statement(s)

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic organisms.
H410 Very toxic to aquatic life with long term effects.

Precautionary Statement(s) Preventative

P234 Keep only in original container.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear eye protection/face protection/protective gloves.

Response

P390 Absorb spillage to prevent material damage.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients :

Chemical Entity	CAS No	Proportion
Hydrochloric acid	[7647-01-0]	4%
Copper Sulphate	[7759-99-8]	30%
Water	[7732-18-5]	to 100%

4. FIRST AID MEASURES

Safety showers and eye wash facilities should be provided.

Swallowed :

If conscious wash out mouth with water. Seek medical advice. Show this SDS to medical practitioner.

Eye :

Immediately hold eyelids open and flood with water for at least 15 minutes. Obtain medical aid. Show this SDS to medical practitioner.

Skin :

Remove contaminated clothing. Immediately wash skin thoroughly with water and mild soap. Seek medical advice if irritation persists. Show this SDS to medical practitioner. Launder clothing before reuse.

Inhaled :

Remove from contaminated air. Maintain breathing with artificial respiration if necessary. Seek medical assistance. Show this SDS to a doctor.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

Hazards From Combustion Products:

Hydrochloric acid and its solutions will not burn or support combustion. However contact with aluminium, zinc or tin may generate explosive hydrogen gas. Decomposition products include hydrogen chloride.

Precautions For Fire Fighters and Special Protective Equipment:

Fire fighters and others who may be exposed to combustion products during fire should wear full protective clothing including positive pressure self-contained breathing apparatus (SCBA). Wear SCBA with full face-piece, operated in positive pressure mode when fighting fires.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures:

Prevent from entering waterways. Restrict access to area. Ventilate area. Remove chemicals that can react with the spilled material.

Methods and materials for containment and clean up:

Use inert material such as sand or earth to contain spill or leak. Neutralise with sodium bicarbonate. Absorb spills with chemical absorber or vermiculite and dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

Conditions for Safe Storage:

Store sealed in original container in a cool well ventilated situation away from foods and other chemicals. Do not store in direct sunlight. Observe good hygiene and housekeeping practices.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National Exposure Standards:

Safe Work Australia – Hydrogen chloride 7.5mg/m³ TWA & Peak Limitation - Copper dusts and mists (as Cu) TWA 1mg/m³

Biological Limit Values: No data available.

Engineering Controls:

Not required with normal use. If mists are likely to be generated maintain atmospheric concentrations well below exposure standards with extraction ventilation.

Personal Protective Equipment (PPE):

The use of nitrile or neoprene gloves complying with AS 2161 and the use of faceshield, chemical goggles or safety glasses with side shield protection complying with AS/NZS 1337 is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance :	Clear blue liquid
Odour:	Nil
pH:	1
Boiling Point (°C) :	Not applicable
Freezing/melting Point:	Not applicable
Vapour Pressure (mm of Hg @ 25°C) :	Not applicable
Vapour Density:	Not applicable
Specific Gravity :	N/A
Flash Point (°C) :	Not flammable
Flammability Limits (%) :	Not flammable
Solubility in Water (g/L) :	Soluble

10. STABILITY AND REACTIVITY

Chemical stability:

Stable.

Conditions to avoid:

Excessive heat.

Incompatible materials:

Alkalis, hypochlorites, organic materials, sulphites, sulphides, cyanides, aluminum, phosphorus, tin and zinc.

Hazardous decomposition products:

Refer to section 5 (Fire Fighting Measures).

Hazardous reactions:

Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Health Effects:

Swallowed : Harmful if swallowed. For copper sulphate LD50 Oral - rat - 300 mg/kg. Irritating to tissue. Ingestion may cause vomiting, diarrhoea

Eye : Irritating to eye tissue.

Skin : May be irritating to skin tissue.

Inhaled : May be irritating to respiratory tissue.

Chronic Effects: No data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

For copper sulphate EC50 - Daphnia magna (Water flea) - 0.024 mg/l - 48 h

Persistence and degradability:

No data available.

Mobility:

No data available.

13. DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state and local environmental regulations.

14. TRANSPORT INFORMATION

UN Number: 3264

UN Proper Shipping Name: CORROSIVE LIQUID ACIDIC INORGANIC N.O.S (Contains: 4% Hydrochloric acid)

Class and subsidiary risk(s): 8

Packing Group: 111

Hazchem Code: 2X

Special precautions for user : Nil

15. REGULATORY INFORMATION

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP):

Schedule 5

16. OTHER INFORMATION**Disclaimer:**

All information given by the Company is offered in good faith and is believed to the best of our knowledge to be accurate. However this information is offered without warranty representation inducement or licence and the Company does not assume legal responsibility for reliance upon the same.

Every person dealing with the materials referred to herein does so at his or her own risk absolutely and must make independent determinations of suitability and completeness of information from all sources to ensure their proper use.

END of SDS