

Safety Data Sheet BROMINE WATER

SDS no. 4QZW9E8V • Version 1.0 • Date of issue: 2023-10-31

SECTION 1: Identification

GHS Product identifier

Product name BROMINE WATER

Product number 0428

Recommended use of the chemical and restrictions on use

Laboratory reagent.

Supplier's details

Name ChemSupply Australia Pty Ltd
Address 38-50 Bedford Street
5013 Gillman South Australia
Australia

Telephone 08 8440 2000
email www.chemsupply.com.au

Emergency phone number

CHEMCALL 1800 127 406 (Australia) / +64-4-917-9888 (International)

SECTION 2: Hazard identification

Classification of the substance or mixture

GHS classification in accordance with: UN GHS revision 7

- Acute toxicity, inhalation, Cat. 3
- Serious eye damage/eye irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1A

GHS label elements, including precautionary statements

Pictograms



Signal word

Danger

Hazard statement(s)

Safety Data Sheet

BROMINE WATER

SDS no. 4QZW9E8V • Version 1.0 • Date of issue: 2023-10-31

H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage
H331 Toxic if inhaled

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor/physician
P363 Wash contaminated clothing before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/container to an approved waste disposal facility

SECTION 3: Composition/information on ingredients

Mixtures

Components

Component	CAS no.	Concentration
Bromine (EC no.: 231-778-1; Index no.: 035-001-00-5)	7726-95-6	1 - 5 % (weight)
CLASSIFICATIONS: Acute toxicity, inhalation, Cat. 2; Skin corrosion/irritation, Cat. 1A; Hazardous to the aquatic environment, short-term (acute), Cat. 1. HAZARDS: H314 - Causes severe skin burns and eye damage; H330 - Fatal if inhaled; H400 - Very toxic to aquatic life.		
Water (EC no.: 231-791-2)	7732-18-5	95 - 99 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.		

SECTION 4: First-aid measures

Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance.
For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor (at once).
First Aid Facilities: Maintain eyewash fountain in work area.

If inhaled If inhaled, remove from contaminated area to fresh air immediately. Apply artificial respiration if not breathing. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.

In case of skin contact Wash affected areas with copious quantities of water. Remove contaminated clothing and wash before re-use. Seek immediate medical attention.

In case of eye contact Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. Seek immediate medical assistance.

If swallowed Rinse mouth thoroughly with water immediately, repeat until all traces of product have

been removed. Give water to drink. DO NOT INDUCE VOMITING. Seek immediate medical advice.

Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of immediate medical attention and special treatment needed, if necessary

For advice, contact the National Poisons Information Centre (Phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor at once

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Specific Methods: Small fire: Use dry chemical, CO₂ or water spray. If safe to do so, move undamaged containers from fire area.

Large fire: Use dry chemical, CO₂, foam or water spray - Do not use water jets.

Cool containers with flooding quantities of water until well after fire is out. Avoid getting water inside containers.

Specific hazards arising from the chemical

Hazards from Combustion Products: Liberates toxic fumes in fire including hydrogen bromide gas.

Material does not burn. Fire or heat will produce irritating, poisonous and/or corrosive gases. Containers may explode when heated.

Special protective actions for fire-fighters

Wear SCBA and chemical splash suit. Fully-encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is NOT effective for these materials.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate the area of all non-essential personnel. Avoid inhalation, contact with skin, eyes and clothing. Wear respiratory protection.

Wear protective clothing specified for normal operations (see Section 8)

Methods and materials for containment and cleaning up

Absorb or contain liquid with sand, earth or spill control material. Shovel up using non sparking tools and place in a labelled, sealable container for subsequent safe disposal. Put leaking containers in a labelled drum or overdrum.

Avoid release to the environment.

SECTION 7: Handling and storage

Precautions for safe handling

Use in well ventilated areas away from all ignition sources. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid prolonged or repeated contact with skin and clothing. Contaminated clothing should be removed and washed before reuse.

Keep container tightly closed in a dry, well-ventilated place away from direct sunlight and other sources of heat or ignition. Store at room temperature (15 - 25 °C). May develop pressure. Open carefully. Do not use polyethylene.

Conditions for safe storage, including any incompatibilities

Corrosiveness: Attacks most metals, including platinum and palladium. Reacts vigorously with aluminium and explosively with potassium.

Other Information: Vapours are heavier than air and will collect in low or confined areas (drains, basements, tanks).

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: 7726-95-6

Safety Data Sheet

BROMINE WATER

SDS no. 4QZW9E8V • Version 1.0 • Date of issue: 2023-10-31

Bromine

AU/SWA (Australia): 0.3 ppm; 2 mg/m³ STEL inhalation; 0.1 ppm; 0.66 mg/m³ TWA inhalation; NIOSH: 0.1 ppm, (ST) 0.3 ppm REL inhalation;

Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.

Skin protection

Clean impervious clothing should be worn. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.

Hand Protection: Ensure hand protection complies with AS 2161, Occupational protective gloves - Selection, use and maintenance.

Body protection

Footwear: Safety boots in industrial situations is advisory, foot protection should comply with AS 2210, Occupational protective footwear - Guide to selection, care and use.

Body Protection: Clean clothing or protective clothing should be worn, preferably with an apron. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.

Respiratory protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/ mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/ NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

SECTION 9: Physical and chemical properties

Basic physical and chemical properties

Physical state	Liquid
Appearance	Light brown liquid.
Color	No data available.
Odor	Pungent, suffocating odour.
Odor threshold	No data available.
Melting point/freezing point	No data available.
Boiling point or initial boiling point and boiling range	No data available.
Flammability	Non combustible material. Vigourously supports combustion.
Lower and upper explosion limit/flammability limit	No data available.
Flash point	No data available.
Explosive properties	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Oxidizing properties	No data available.
pH	No data available.
Kinematic viscosity	No data available.
Solubility	No data available.
Partition coefficient n-octanol/water (log value)	No data available.
Vapor pressure	No data available.

Safety Data Sheet

BROMINE WATER

SDS no. 4QZW9E8V • Version 1.0 • Date of issue: 2023-10-31

Evaporation rate
Density and/or relative density
Relative vapor density
Particle characteristics

No data available.
No data available.
No data available.
No data available.

Supplemental information regarding physical hazard classes

No data available.

Further safety characteristics (supplemental)

No data available.

SECTION 10: Stability and reactivity

Reactivity

Reacts with incompatible materials

Chemical stability

No data available

Possibility of hazardous reactions

Bromine reacts violently with many organic compounds, many metals and phosphorus. Reacts vigorously with aluminium and explosively with potassium.

Conditions to avoid

Sensitive to heating. Incompatibles.

Incompatible materials

Bromine is incompatible with the following. Combustible material, strong oxidizing agents, alcohols, aldehydes, aluminium, amides, amines, ammonia, arsenites, azides, carbides, ketones, organic nitro compounds, organic substances/reducing agents, ethers, phenols, fluorine, phosphides, alkali hydroxides, alkali oxides, halogen oxides, halogen-halogen compounds, hydrides, lithium silicide, metals, non-metals, ozone, metallic salts, ferrous salts, mercurous salts, hypophosphites, phosphorus and potassium.

Hazardous decomposition products

Liberates toxic fumes in fire including hydrogen bromide gas.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Acute Toxicity - Oral: Bromine LD50 (rat): 2600 mg/kg.

Ingestion: May cause sore throat, vomiting, diarrhea and abdominal spasm. Burns of mucous membranes.

Inhalation: Toxic if inhaled. May cause sore throat, irritation, coughing, shortness of breath, laboured breathing, dizziness, headache, lacrimation, epistaxis, feeling of oppression, pneumonia and lung edema.

Skin corrosion/irritation

Causes skin irritation. May cause redness, pain, irritation, necrosis, poorly healing wounds and measles-like eruptions.

Serious eye damage/irritation

Causes serious eye irritation. May cause redness, irritation, pain and blurred vision.

Respiratory or skin sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Specific target organ toxicity (STOT) - single exposure

Not classified based on available information.

Specific target organ toxicity (STOT) - repeated exposure

Not classified based on available information.

Aspiration hazard

No data available.

SECTION 12: Ecological information

Toxicity

May cause long-term adverse effects in the aquatic environment.

Persistence and degradability

Not readily degradable.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers.

Other disposal recommendations

Do not discharge this material into waterways, drains and sewers.

SECTION 14: Transport information

ADG (Road and Rail)

UN Number: 1744

Class: 8, 6.1

Packing Group: I

Proper Shipping Name: BROMINE or BROMINE SOLUTION

Hazchem emergency action code (EAC)

2XE

IMDG

UN Number: 1744

Class: 8, 6.1

Packing Group: I

EMS Number:

Proper Shipping Name: BROMINE or BROMINE SOLUTION

IATA

UN Number: 1744

Class: 8, 6.1

Packing Group: I

Proper Shipping Name: BROMINE or BROMINE SOLUTION

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Australia SUSMP

Poison Schedule: S7

SECTION 16: Other information

Further information/disclaimer

ChemSupply Australia Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon ChemSupply Australia Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of ChemSupply Australia Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.

Preparation information

All information provided in this data sheet or by our technical representatives is compiled from the best knowledge available to us. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use, or misuse, are beyond our control, we make no warranty either expressed or implied, with respect to the completeness or accuracy to the information contained herein. ChemSupply Australia Pty Ltd accepts no responsibility whatsoever for its accuracy or for any results that may be obtained by customers from using the data and disclaims all liability for reliance on information provided in this data sheet or by our technical representatives.

Standard for the Uniform Scheduling of Medicines and Poisons, Commonwealth of Australia

National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road and Rail 7th. Ed.'

Safe Work Australia, 'National Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals', July 2020.

Safe Work Australia, 'National Guide for Classifying Hazardous Chemicals', July 2020.

Safe Work Australia, Workplace Exposure Standards for Airborne Contaminants, December 2019

Safe Work Australia, Hazardous Chemical Information System (HCIS), hcis.safeworkaustralia.gov.au

IATA, Dangerous Goods Regulations (DGR)

IMO, International Maritime Dangerous Goods Code (IMDG)