

Page: 1 of 7

Infosafe No™ 1CH0U

Issue Date :September 2019 RE-ISSUED by CHEMSUPP

Product Name AMMONIA SOLUTION 10-32%

Classified as hazardous

1. Identification			
GHS Product	AMMONIA SOLUTION 10-32%		
Identifier Company Name	CHEMSUPPLY AUSTRALIA PTY LTD (ABN 19 008 264 211)		
Address	38 - 50 Bedford Street GILLMAN		
	SA 5013 Australia		
Telephone/Fax Number	Tel: (08) 8440-2000		
Emergency phone number	CHEMCALL 1800 127 406 (Australia) / +64-4-917-9888 (International)		
E-mail Address	www.chemsupply.com.au		
Recommended use of the chemical and restrictions on use	Textiles, manufacture of rayon, rubber, photography, pharmaceuticals, ammonia so ink manufacture, explosives, ceramics, an detergents, food additives, household cl	aps, lubricants, fireproofing wood, mmonium compounds, organic synthesis,	
Other Names	Name	Product Code	
	AMMONIA SOLUTION 30% AR	AA005 AT007	
	AMMONIA SOLUTION 25% TG Ammonium hydroxide, Aqua ammonia,	A1007	
	Ammonia, aqueous solution	7 7 1 4 0	
	AMMONIA SOLUTION 10% TG AMMONIA SOLUTION 25% AR	AT148 AA007	
Other Information	AMMONIA SOLUTION 25% LR	AL007	
	for any use or purpose. The user must as before use or application intended purpo- before use or application is recommended upon ChemSupply Australia Pty Ltd with re- advice in relation to the suitability of disclaimed. Except to the extent prohibi- any statute as to the merchantable quali- purpose is hereby excluded. This product provisions of Part V, Division 2 of the liability of ChemSupply Australia Pty Ltd supply of equivalent goods or payment of acquiring equivalent goods.	se. Preliminary testing of the product Any reliance or purported reliance espect to any skill or judgement or this product of any purpose is ted at law, any condition implied by ty of this product or fitness for any is not sold by description. Where the Trade Practices Act apply, the d is limited to the replacement of	
2. Hazard Identifi	cation		
GHS classification of	Acute Toxicity - Oral: Category 4		
the substance/mixture	Skin Corrosion/Irritation: Category 1 Acute Toxicity - Inhalation: Category 3		
	Hazardous to the Aquatic Environment - A	cute Hazard: Category 1	
Signal Word (s)	DANGER		
Hazard Statement (s)	H303 Toxic if swallowed. H314 Causes severe skin burns and eye dan H332 Harmful if inhaled. H400 Very toxic to aquatic life. AUH071 Corrosive to the respiratory trac	-	
Pictogram (s)	Corrosion, Skull and crossbones, Enviro	nment	
Precautionary	P260 Do not breathe dust/fume/gas/mist/v	apours/spray.	
statement – Prevention	P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when usi:	ng this product.	
Print Date: 24/01/2021		CS: 3.4.20	



Infosafe No™ 1CHOU Issue Date :September 2019 RE-ISSUED by CHEMSUPP

Product Name AMMONIA SOLUTION 10-32%

	Classified as hazardous
	P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement – Response	 P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P363 Wash contaminated clothing before reuse. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P311 Call a POISON CENTER or doctor/physician. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P391 Collect spillage.
Precautionary statement – Storage Precautionary statement – Disposal	P403 + P233 Store in a wellventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container to an approved waste disposal plant.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	
	Water	7732-18-5	68-90 %	
	Ammonia	1336-21-6	10-32 %	

4. First-aid measures

Inhalation	If inhaled, remove from contaminated area to fresh air immediately, avoid becoming a casualty. Make patient comfortable, keep warm and at rest until fully recovered. If breathing is difficult (or develops a bluish skin discolouration), supply oxygen by a qualified person. Apply artificial respiration with a respiratory medical device if not breathing. Do not use mouth to mouth resuscitation. Immediately medical attention is required.
Ingestion	Rinse mouth thoroughly with water immediately, repeat until all traces of product have been removed. DO NOT INDUCE VOMITING. Seek immediate medical advice.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Remove contaminated clothing and wash before re-use. Seek medical attention.
Eye contact	If in eyes wash out immediately with water. Seek medical attention.
First Aid Facilities	Maintain eyewash fountain and safety shower in work area.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of the patient.
Other Information	For advice, contact a Poisons Information Centre (Phone eg Australia 13 1126; New Zealand 0800 764 766) or a doctor.

5. Fire-fighting measures

Hazards from Combustion Products	Oxides of nitrogen.
Specific Methods	Use extinguishing media most appropriate for the surrounding fire. No limitations to the type of extinguishing media. Small fire: Use dry chemical, CO2 or water spray. If safe to do so, move undamaged containers from fire area. Large fire: Use dry chemical, CO2, foam or water spray - Do not use water jets. Cool containers with flooding quantities of water until well after fire is out. Avoid getting water inside containers.



Page: 3 of 7

Infosafe No™	1CH0U Issue Date :September 2019 RE-ISSUED by CHEMSUPP	
Product Name	AMMONIA SOLUTION 10-32%	
	Classified as hazardous	
Specific hazards arising from the chemical	Material does not burn. Fire or heat will produce irritating, poisonous and/or corrosive gases. Containers may explode when heated. Contact with metals may evolve flammable hydrogen gas. NOTE: Ammonia is not readily ignited, but explosions of air-ammonia mixtures have occurred in confined spaces.	
Hazchem Code	2R	
Precautions in connection with Fire	Wear SCBA and chemical splash suit. Fully-encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is NOT effective for these materials.	
6. Accidental relea	ase measures	
Spills & Disposal	ELIMINATE all ignition sources (no smoking, flares, sparks or flames) within at least 50m. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Cover with DRY earth, sand or other non-combustible material followed by plastic sheet to minimize spreading or contact with rain. DO NOT GET WATER INSIDE CONTAINERS.	
Personal Precautions	Evacuate the area of all non-essential personnel. Avoid inhalation, contact with skin, eyes and clothing.	
Personal Protection	Wear protective clothing specified for normal operations (see Section 8)	
Clean-up Methods - Small Spillages	Absorb or contain liquid with sand, earth or spill control material. Shovel up using non sparking tools and place in a labelled, sealable container for subsequent safe disposal. Put leaking containers in a labelled drum or overdrum.	
Clean-up Methods - Large Spillages	Seek expert advice on handling and disposal.	
Environmental Precautions	Prevent from spreading or entering into drains, ditches or rivers by using sand, earth, or other appropriate barriers.	
7. Handling and storage		
Precautions for Safe Handling	Do not breathe vapour. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Open containers slowly to prevent spurting.	
Conditions for safe storage, including any incompatibilities	Store in cool place and out of direct sunlight. Store in well ventilated area. Store away from sources of heat or ignition. Store away from oxidizing agents. Store away from acids. Keep containers securely sealed and protected against physical damage. Temperature may be exceeded to up to +40 °C for a period of max. 48 hours. Store below +25 °C.	
Corrosiveness	Corrosive to copper, nickel, zinc and tin and their alloys such as brass. Not significantly corrosive to iron and steel.	
Storage Regulations	Refer Australian Standard AS 3780-1994 'The storage and handling of corrosive substances'.	

8. Exposure controls/personal protection

Occupational exposure limit values	Name	:	STEL		rwa	
		mg/m3	ppm	mg/m3	ppm	Footnote
	Ammonia	24	35	17	25	
Other Exposure Information	A time weighted average (TW anhydrous] [7664-41-7] (Saf corresponding STEL level is Limit) is an exposure value minutes and should not be r be at least 60 minutes betw value at the TWA is the ave substance when calculated o week.	e Work A 24 mg/m that sh epeated een succ rage air	ustralia) 1 ³ , (35 pp 10uld not for more cessive ex 10borne cor	of 17 mg om). The S be exceed than 4 ti sposures a icentratio	/m³, (25 TEL (Shor ed for mo mes per d t the STE n of a pa	ppm). The t Term Exposure re than 15 ay. There should L. The exposure rticular
Appropriate engineering controls	In industrial situations ma This may be achieved by pro					



cs: 3.4.20

Page: 4 of 7

Infosafe No™	1CH0U Issue Date :September 2019 RE-ISSUED by CHEMSUPP
Product Name	AMMONIA SOLUTION 10-32%
	Classified as hazardous
Respiratory Protection	ventilation, capturing substances at the source, or other methods. Where ventilation is not adequate, respiratory protection may be required. Avoid breathing vapours or mists. Select and use respirators in accordance with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. When mists or vapours exceed the exposure standards then the use of the following is recommended: Approved respirator with organic vapour and dust/mist filters. Filter capacity and respirator type depends on exposure levels.
Eye Protection	The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.
Hand Protection	Hand protection should comply with AS 2161, Occupational protective gloves - Selection, use and maintenance. Recommendation: Nitrile rubber gloves Avoid skin contact when removing gloves from hands, do not touch the gloves outer surface. Dispose of gloves as hazardous waste.
Personal Protective Equipment	Final choice of personal protective equipment will depend on individual circumstances and/or according to risk assessments undertaken.
Footwear	Safety boots in industrial situations is advisory, foot protection should comply with AS 2210, Occupational protective footwear - Guide to selection, care and use.
Body Protection	Clean impervious clothing should be worn, preferably with an apron for extra protection. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.
Hygiene Measures	Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

9. Physical and chemical properties

Form	Liquid
Appearance	Colourless, clear to slightly turbid liquid.
Odour	Characteristic, pungent, stinging, irritating odour.
Boiling Point	18 - 37°C
Solubility in Water	Miscible in water.
Solubility in Organic Solvents	Soluble in ethanol and ether.
Specific Gravity	0.943 - 14% solution 0.91 - 25% solution 0.89 - 30% solution
рН	>12 (14% solution, 20 °C) 11.6 (1N aqueous solution, 25 °C)
Vapour Pressure	6.9 - 10.5 psi (20 °C)
Vapour Density (Air=1)	0.6
Coefficient Water/Oil Distr.	Log $P(o/w) = -1.38$ (anhydrous substance)
Volatile Component	72%w/w (25 - 32%).
Flammability	Vapours are combustible.
Flammable Limits - Lower	16%
Flammable Limits - Upper	25%
Molecular Weight	35.05

10. Stability and reactivity



cs: 3.4.20

Page: 5 of 7

Infosafe No™	1CH0U Issue Date : September 2019 RE-ISSUED by CHEMSUPP
INIUSALE NO	1CHOU Issue Date :September 2019 RE-ISSUED by CHEMSUPP
Product Name	AMMONIA SOLUTION 10-32%
	Classified as hazardous
Chemical Stability	Stable under normal pressures and cool temperatures.
Conditions to Avoid	Exposure to heat and light.
Incompatible Materials	Acids, alkalis (could form ammonia), acrolein antimony hydride/heat, various alloys (zinc, copper), boron, carbon dioxide, chromyl chloride, dimethylsulfate, ethylene oxide, halogens, hydrogen sulfide, halides, hydrogen bromide, hydrochloric acid, hydrogen fluoride, hydrogen peroxide, interhalogens, iodine, metal halides, mercury/water, various metals, metal salts (chromium VI oxide), nitrogen oxides, nitric acid, oxidising agents, oxygen, phosgene, phosphorus oxides, sulfur dioxide, silver compounds (during storage),
Hazardous Decomposition Products	Ammonia, nitrogen oxides.
Possibility of hazardous reactions	Reacts violently in contact with acids and oxidising agents. Reacts violently or forms explosive products in contact with halogens, interhalogens or halides. May form explosive compounds in contact with metal halides, silver compounds or mercury. Can cause ethylene oxide to polymerise explosively.
Hazardous	Will not occur.

Polymerization

11. Toxicological Information

Toxicology Information	No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. If mishandled or overexposed to this product the following symptoms or effects may occur.
Ingestion	Harmful if swallowed. Causes severe burns and pain in the throat, chest and abdomen along with mucosal irritations, gastric pain, nausea, coughing, bloody vomiting, dyspnoea, collapse, shock and unconsciousness. Risk of perforation in the oesophagus and stomach.
Inhalation	Toxic if inhaled. May cause severe respiratory tract irritation. Causes irritations of the mucous membranes, coughing and dyspnoea bronchitis, pulmonary oedema. When vapours/aerosols are generated causes strong irritant effect. Brief exposure at 5,000 ppm may cause rapid death due to suffocation or fluid in the lungs.
Skin	Causes burns, irritations. May cause irritant and caustic effects (dermatitis, necrosis).
Eye	Causes burns. Risk of blindness. Vapour may cause irritation. Liquid may cause severe irritation, hemorrhage, swollen eyelids and partial or total blindness.
Respiratory sensitisation	Not classified based on available information.
Skin Sensitisation	Not classified based on available information.
Germ cell mutagenicity	Not classified based on available information.
Carcinogenicity	Not classified based on available information.
Reproductive Toxicity	Not classified based on available information.
STOT-single exposure	Not classified based on available information.
STOT-repeated exposure	Not classified based on available information.
Chronic Effects	Repeated exposure to gas may cause long-term irritation of the eyes, nose and upper respiratory tract. May cause chemical pneumonitis and kidney damage. Workers repeatedly exposed to ammonia may develop a tolerance to the irritating effects after several weeks.
Serious eye damage/irritation	Severe irritation (29% solution, rabbit).
Mutagenicity	Not classified based on available information.



Page: 6 of 7

Infosafe No™ 1CH0U

Issue Date :September 2019 RE-ISSUED by CHEMSUPP

Product Name AMMONIA SOLUTION 10-32%

Classified as hazardous

Skin

Severe irritation (29% solution, rabbit).

corrosion/irritation

12. Ecological info	ormation
Ecotoxicity	Highly toxic for aquatic organisms. Harmful effect due to pH shift. Forms toxic mixtures in water, dilution measures notwithstanding.
Persistence and degradability	Abiotic degradation: slow degradation. Biologic degradation: not readily degradable.
Environmental Fate	Behaviour in environmental compartments: Distribution: log P (o/w): -1.38.
Bioaccumulative Potential	No bioaccumulation is to be expected (log $P(o/w) < 1.0$).
Environmental Protection	Do not allow to enter waters, waste water, or soil!
Acute Toxicity - Fish	LC50 (Onchorhynchus mykiss): 0.53 mg/l/96 h. The following applies to ammonium ions in general: biological effects: fish: toxic as from 0.3 mg/l.
Acute Toxicity - Daphnia	EC50 (Daphnia pulicaria): 1.16 mg/l/48 h. EC50 (Daphnia magna): 24 mg/l/48 h.
Acute Toxicity - Bacteria	EC50 (Photobacterium phosphoreum): 2 mg/l/5 min.

13. Disposal considerations

Disposal	Whatever cannot be saved for recovery or recycling should be disposed of
Considerations	according to relevant local, state and federal government regulations.

14. Transport information

Transport Information	Dangerous goods of Class 8 (Corrosive) are incompatible in a placard load with any of the following: Class 1, Class 4.3, Class 5, Class 6, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids, Class 7; and are incompatible with food and food packaging in any quantity.
U.N. Number	2672
UN proper shipping name	AMMONIA SOLUTION
Transport hazard class(es)	8
Hazchem Code	2R
Packing Group	III
EPG Number	8A1
IERG Number	37

15. Regulatory information

Regulatory	Listed in the Australian Inventory of Chemical Substances (AICS). Not listed
Information	under WHS Regulation 2011, Schedule 10 - Prohibited carcinogens, restricted
Poisons Schedule	carcinogens and restricted hazardous chemicals. S6

16. Other Information

Literature References	'Standard for the Uniform Scheduling of Medicines and Poisons .', Commonwealth of Australia. National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road and Rail 7th. Ed.'. Safe Work Australia, 'National Code of Practice fot the Preparation of Safety Data Sheets for Hazardous Chemicals'.
	Data Sheets for Hazardous Chemicals'. Standards Australia, 'SAA/SNZ HB 76:2010 Dangerous Goods - Initial Emergency Response Guide', Standards Australia/Standards New Zealand.



Page: 7 of 7

Infosafe No™	1CH0U Issue Date :September 2019 RE-ISSUED by CHEMSUPP
Product Name	AMMONIA SOLUTION 10-32%
	Classified as hazardous
Contact Person/Point	Safe Work Australia, 'Hazardous Chemical Information System'. Safe Work Australia, 'National Code of Practice for the Labelling of Safe Work Hazardous Substances'. Safe Work Australia, 'National Exposure Standards for Atmospheric Contaminants in the Occupational Environment'. Paul McCarthy Ph. (08) 8440 2000 DISCLAIMER STATEMENT: All information provided in this data sheet or by our technical representatives is compiled from the best knowledge available to us. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use, or misuse, are beyond our control, we make no warranty either expressed or implied, with respect to the completeness or accuracy to the information contained herein. ChemSupply Australia Pty Ltd accepts no responsibility whatsoever for its accuracy or for any results that may be obtained by customers from using the data and disclaims all liability for reliance on information provided in this data sheet or by our technical representatives.
Empirical Formula & Structural Formula	NH4OH End Of MSDS

© Copyright Chemical Safety International Pty Ltd Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.