

infosafe CS: 1.7.2

Page: 1 of 6 chem-supply

RE-ISSUED by AMBERSCI Infosafe No™ 1CH29 Issue Date: June 2020

COPPER (II) NITRATE Hydrate Product Name:

Classified as hazardous

1. Identification

GHS Product

COPPER (II) NITRATE Hydrate

Identifier

CHEM-SUPPLY PTY LTD (ABN 19 008 264 211) **Company Name**

38 - 50 Bedford Street GILLMAN **Address**

SA 5013 Australia

Telephone/Fax

Tel: (08) 8440-2000

Number

number

Emergency phone

Recommended use of the chemical and restrictions on use

Light-sensitive papers; analytical reagent; mordant in textile dyeing; nitrating agent; insecticide for vines;

colouring copper black; electroplating; production of burnished effect on iron; paints; varnishes,

enamels; pharmaceutical preparations; catalyst and laboratory reagent.

CHEMCALL 1800 127 406 (Australia) / +64-4-917-9888 (International)

Other Names Name **Product Code**

> COPPER (II) NITRATE 2.5-Hydrate AR CA059 COPPER (II) NITRATE Trihydrate LR CL059

Cupric nitrate, Gerhardite

Other Information

Chem-Supply Ptv Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon Chem-Supply Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of Chem-Supply Pty Ltd is limited to the replacement of supply of equivalent goods

or payment of the cost of replacing the goods or acquiring equivalent goods.

2. Hazard Identification

Oxidizing Solids: Category 2 **GHS** classification

of the substance/mixture

Acute Toxicity - Oral: Category 4 Skin Corrosion/Irritation: Category 2 Eve Damage/Irritation: Category 1

Hazardous to the Aquatic Environment - Acute Hazard: Category 1

Signal Word (s) **DANGER**

Hazard Statement

H272 May intensify fire; oxidiser.

(s)

H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eve damage.

H400 Very toxic to aquatic life.

Pictogram (s)

Flame over circle, Exclamation mark, Corrosion, Environment









Precautionary statement -Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P220 Keep/Store away from clothing/.../combustible materials. P221 Take any precaution to avoid mixing with combustibles ...

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

Precautionary statement -Response

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P332+P313 If skin irritation occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse.



infosafe CS: 1.7.2

Page: 2 of 6 chem-supply

RE-ISSUED by AMBERSCI Infosafe No™ 1CH29 Issue Date: June 2020

COPPER (II) NITRATE Hydrate Product Name:

Classified as hazardous

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P370+P378 In case of fire: Use FLOODING QUANTITIES OF WATER for extinction.

P391 Collect spillage.

Precautionary

P405 Store locked up.

statement - Storage

Precautionary

P501 Dispose of contents/container to an approved waste disposal plant.

statement -**Disposal**

3. Composition/information on ingredients

Chemical

Ingestion

Solid

Characterization

Ingredients **Name** CAS **Proportion Hazard Symbol Risk Phrase**

> 100 % Copper Nitrate Trihydrate 10031-43-3 Copper nitrate 2.5-hydrate 19004-19-4 100 %

4. First-aid measures

Inhalation If inhaled, remove from contaminated area to fresh air immediately. Apply artificial respiration if not

> breathing. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear. Rinse mouth thoroughly with water immediately. Do not induce vomiting. Seek medical attention.

Skin Immediately remove contaminated clothing and wash affected area with water for at least 15 minutes.

Ensure contaminated clothing is washed before re-use. Seek medical advice /attention depending on the

Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. In all Eye contact

cases of eye contamination it is a sensible precaution to seek medical advice.

First Aid Facilities Maintain eyewash fountain and safety shower in work area.

Advice to Doctor Treat symptomatically based on judgement of doctor and individual reactions of the patient.

Other Information For advice, contact a Poisons Information Centre (Phone eg Australia 13 1126; New Zealand 0800 764

766) or a doctor at once.

5. Fire-fighting measures

Hazards from Combustion **Products**

Nitrous gases, copper oxides.

Specific Methods

Small fire: USE FLOODING QUANTITIES OF WATER. Do not use dry chemicals, CO2 or foam. If safe

to do so, move undamaged containers from fire area. Do not move cargo if cargo has been exposed to

heat.

Large fire: Flood fire area with water from a protected position. Cool containers with flooding quantities

of water until well after fire is out - If impossible, withdraw from area and let fire burn. Avoid getting water inside containers: a violent reaction may occur. Dam fire control water for later disposal.

Specific hazards arising from the

Will accelerate burning when involved in a fire. May explode from heating, shock, friction or

contamination. Can react explosively with hydrocarbons (fuels). May ignite combustibles (wood, paper, clothing, etc). Fire may produce irritating, poisonous, and/or corrosive gases. Containers may explode

when heated. Runoff may create fire or explosion hazard.

Hazchem Code Decomposition 1[Z]

Temp.

chemical

114 °C

Precautions in

Wear SCBA and chemical splash suit. Structural firefighter's uniform will provide limited protection.

connection with Fire

Accidental release measures

Avoid substance contact. Avoid generation of dusts: do not inhale dusts. Ensure supply of fresh air in Personal

enclosed rooms. Precautions

Personal Protection Wear protective clothing specified for normal operations (see Section 8)

Clean-up Methods -**Small Spillages**

Absorb with dry earth, sand or other non-combustible material. Use clean nonsparking tools to collect and seal in properly labelled drums for disposal in an area approved by local authority bylaws. Wash area down with excess water to remove residual material.



infosafe CS: 1.7.2

Page: 3 of 6 chem-supply

Infosafe No™ RE-ISSUED by AMBERSCI 1CH29 Issue Date: June 2020

COPPER (II) NITRATE Hydrate Product Name:

Classified as hazardous

Clean-up Methods - Seek expert advice on handling and disposal.

Large Spillages

Environmental Prevent contamination of soil and water.

Precautions

7. Handling and storage

Precautions for Safe Wash hands and face thoroughly after working with material. Contaminated clothing should be removed

and washed before reuse. Handling

Avoid generating and inhaling dust.

Conditions for safe storage, including

Store in a cool, dry place. Store away from combustible materials. Keep containers closed at all times.

Keep away from heat and other sources of ignition.

incompatabilities

Storage Regulations Refer Australian Standard AS 4326-1995 'The storage and handling of oxidizing agents'.

8. Exposure controls/personal protection

Other Exposure Information

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous

concentrations of chemicals. They are not a measure of relative toxicity.

A time weighted average (TWA) has been established for Copper, dusts & mists (as Cu) (Safe Work Australia) of 1 mg/m3. The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. Maintain the concentrations values below the TWA. This may be achieved by process modification, use

Appropriate

engineering controls of local exhaust ventilation, capturing substances at the source, or other methods.

Protection

Where ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours Respiratory

or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection. Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection,

fit testing, training, maintenance and inspection.

The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. **Eye Protection**

Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.

Wear gloves of impervious material conforming to AS/NZS 2161: Occupational protective gloves **Hand Protection**

Selection, use and maintenance. Final choice of appropriate glove type will vary according to individual circumstances. This can include methods of handling, and engineering controls as determined by appropriate risk assessments. Avoid skin contact when removing gloves from hands, do not touch the

gloves outer surface. Dispose of gloves as hazardous waste.

Personal Protective Equipment

Personal protective equipment should not solely be relied upon to control risk and should only be used when all other reasonably practicable control measures do not eliminate or sufficiently minimise risk. Guidance in selecting personal protective equipment can be obtained from Australian, Australian/New

Zealand or other approved standards.

Safety boots in industrial situations is advisory, foot protection should comply with AS 2210. **Footwear**

Occupational protective footwear - Guide to selection, care and use.

Flame retardant antistatic protective clothing. Clean clothing or protective clothing should be worn, **Body Protection**

preferably with an apron. Clothing for protection against chemicals should comply with AS 3765 Clothing

for Protection Against Hazardous Chemicals.

Hygiene Measures Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other

protective equipment before storing or re-using.

9. Physical and chemical properties

Form Solid

Appearance Blue deliquescent crystals.

Odour Odourless **Decomposition** 114 °C

Temperature

~114 °C **Melting Point** Solubility in Water Very soluble.



infosafe CS: 1.7.2

Page: 4 of 6 chem-supply

Infosafe No™ 1CH29 Issue Date: June 2020 RE-ISSUED by AMBERSCI

Product Name: **COPPER (II) NITRATE Hydrate**

Classified as hazardous

Solubility in Organic Soluble in alcohol.

Solvents

2.05 **Specific Gravity**

~3-4 (50 g/l, H2O, 20 °C)

Copper nitrate trihydate Cu(NO3)2.3H2O - 241.60 **Molecular Weight**

Copper nitrate 2.5-hydrate Cu(NO3)2.2.5H2O - 231.59

10. Stability and reactivity

Chemical Stability Stable under normal use conditons.

Conditions to Avoid Exposure to moisture.

Incompatible Acetic acid anhydride (exothermic reaction); ammonia/amides, cyanide complexes, metals in powder **Materials**

form, organic substances, oxidizable substances (risk of explosion), potassium ferrocyanide, (water +

tin) and combustible material. Nitrous gases, copper oxides.

Hazardous Decomposition

Products

Possibility of Can explode when finely mixed with potassium ferrocyanide and with (water + tin); produces sparking.

hazardous reactions

Hazardous Will not occur.

Polymerization

11. Toxicological Information

Acute Toxicity - Oral LD50 (rat): 940 mg/kg (Smyth).

Ingestion Harmful if swallowed. Symptoms may include nausea, vomiting, gastric pain, dizziness, convulsions,

shock, coma and possibly death.

Inhalation Inhalation of material causes irritation symptoms in the respiratory tract, coughing, and dyspnoea.

Skin Causes irritation.

Causes burns and serious eye irritation. Risk of corneal clouding. Eye

Respiratory sensitisation Not classified based on available information.

Skin Sensitisation Germ cell

Not classified based on available information. Not classified based on available information.

mutagenicity Carcinogenicity

Not classified based on available information.

Reproductive **Toxicity**

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Health Hazard

The following applies to nitrites/nitrates in general: methaemoglobinaemia after uptake of large

quantities.

Chronic Effects May give rise to damage to the kidneys, enlargement of the liver and jaundice, together with various

symptoms attributed to damage of the nervous system.

Not classified based on available information. Mutagenicity

12. Ecological information

Ecotoxicity Highly toxic for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Hazard for drinking water supplies.

Persistence and degradability

Methods for the determination of biodegradability are not applicable to inorganic substances.

Other Adverse **Effects**

The following applies to nitrates in general: may contribute to the eutrophication of water supplies.

Other Precautions

Do not allow to enter waters, waste water, or soil!

Environmental Protection

Hazardous to the Aquatic Environment - Acute Hazard: Category 1



infosafe CS: 1.7.2

Page: 5 of 6 chem-supply

RE-ISSUED by AMBERSCI Infosafe No™ 1CH29 Issue Date: June 2020

COPPER (II) NITRATE Hydrate Product Name:

Classified as hazardous

13. Disposal considerations

Disposal Considerations Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and

disposed of according to relevant local, state and federal government regulations.

14. Transport information

Transport Information

Dangerous Goods of Class 5.1 Oxidising Agents are incompatible in a placard load with any of the following: - Class 1, Class 2.1, Class 2.3, Class 3, Class 4, Class 5.2, Class 7, Class 8, Fire risk

substances and combustible liquids.

Dangerous goods of Class 5.1 (Oxidizing Agent) are incompatible in a placard load with any of the

Class 1, Class 2.1, Class 2.3, Class 3, Class 4, Class 5.2, Class 7, Class 8, Fire risk substances and

Combustible liquids.

U.N. Number 1477

UN proper shipping

name

Transport hazard

class(es)

Hazchem Code 1[Z] **Packaging Method** 3.8.5.1

Packing Group Ш **EPG Number** 5A1 **IERG Number** 31

15. Regulatory information

Regulatory Information Listed in the Australian Inventory of Chemical Substances (AICS). Not listed under WHS Regulation 2011, Schedule 10 - Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Poisons Schedule

Hazard Category

Harmful, Irritant, Dangerous for the environment

NITRATES, INORGANIC, N.O.S. - (Copper nitrate hydrate)

16. Other Information

Literature References

'Standard for the Uniform Scheduling of Medicines and Poisons .', Commonwealth of Australia. Lewis, Richard J. Sr. 'Hawley's Condensed Chemical Dictionary 13th. Ed.', Rev., John Wiley and Sons,

National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road and Rail 7th. Ed.', 2007.

Safe Work Australia, 'National Code of Practice fot the Preparation of Safety Data Sheets for Hazardous

Chemicals', 2011. Standards Australia, 'SAA/SNZ HB 76:2010 Dangerous Goods - Initial Emergency Response Guide',

Standards Australia/Standards New Zealand, 2010.

Safe Work Australia, 'Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)]'.

Safe Work Australia, 'Hazardous Chemical Information System, 2005'. Safe Work Australia, 'National Code of Practice for the Labelling of Safe Work Hazardous Substances

Safe Work Australia, 'National Exposure Standards for Atmospheric Contaminants in the Occupational

Environment [NOHSC:1003(1995) 3rd Edition]'.

Contact Person/Point Paul McCarthy Ph. (08) 8440 2000 DISCLAIMER STATEMENT:

All information provided in this data sheet or by our technical representatives is compiled from the best knowledge available to us. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use, or misuse, are beyond our control, we make no warranty either expressed or implied, with respect to the completeness or accuracy to the information contained herein. Chem-Supply accepts no responsibility whatsoever for its accuracy or for any results that may be obtained by customers from using the data and disclaims all liability for reliance on

information provided in this data sheet or by our technical representatives.

Empirical Formula & Copper nitrate trihydate Cu(NO3)2.3H2O Structural Formula

Copper nitrate 2.5-hydrate Cu(NO3)2.2.5H2O

...End Of MSDS...

© Copyright ACOHS Ptv Ltd





chem-supply Page: 6 of 6

Infosafe No™ 1CH29 Issue Date :June 2020 RE-ISSUED by AMBERSCI

Product Name: COPPER (II) NITRATE Hydrate

Classified as hazardous

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 15/06/2020 CS: 1.7.2