

#### Page: 1 of 5

Infosafe No™ 1CH7Z

Issue Date :October 2020 RE-ISSUED by CHEMSUPP

Product Name HYDROGEN PEROXIDE 6%

Classified as hazardous

1. Identification		
GHS Product Identifier	HYDROGEN PEROXIDE 6%	
Company Name	CHEM-SUPPLY PTY LTD (ABN 19 008 264 211)	
Address	38 - 50 Bedford Street GILLMAN SA 5013 Australia	
Telephone/Fax Number	Tel: (08) 8440-2000	
Emergency phone number	CHEMCALL 1800 127 406 (Australia) / +64-4-917-9888 (International)	
E-mail Address	www.chemsupply.com.au	
Recommended use of the chemical and restrictions on use	Bleaching wood pulp, textiles, feathers, hair, fur, silk, straw, ivory, flour, bone and gelatin, renovating paintings and engravings, oxidiser in the manufacture of dyes, disinfecting water and hides, artificially aging wines and liquors, refining oils and fats, antichlor, photography, electroplating, cleaning metals, seed disinfectant, mouth washes, sanitary lotions, dentrifices, pharmaceuticals, plasticizers, antiseptic and laboratory reagent.	
Other Names	Name Product Code	
	HYDROGEN PEROXIDE 6% LR HL002 Hydrogen dioxide, Peroxide	
Other Information	Chem-Supply Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon Chem-Supply Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of Chem-Supply Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.	

#### 2. Hazard Identification

GHS classification of the substance/mixture	Eye Damage/Irritation: Category 2A
Signal Word (s)	WARNING
Hazard Statement (s)	H319 Causes serious eye irritation.
Pictogram (s)	Exclamation mark
Precautionary	P264 Wash thoroughly after handling. P280 Wear protective eye protection/face protection.
statement – Prevention	1200 wear protective eye protection, race protection.
Precautionary statement – Response	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

#### **3.** Composition/information on ingredients

Ingredients	Name	CAS	Proportion



Page: 2 of 5

Infosafe	No™	1CH7Z	

Issue Date :October 2020 RE-ISSUED by CHEMSUPP

Product	Name	HYDROGEN	PEROXIDE	<b>6</b> %

	Cla	assified as hazardou	S	
	Water Hydrogen peroxide	7732-18-5 7722-84-1	93.5-94.5 % 5.5-6.5 %	
Other Information	May contain stabilise	r.		

#### 4. First-aid measures

ter inst with moust	<b>41 0</b> 5
Inhalation	If inhaled, remove from contaminated area to fresh air immediately. Apply artificial respiration if not breathing. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.
Ingestion	Rinse mouth thoroughly with water immediately. Give water to drink. DO NOT induce vomiting. Seek medical attention.
Skin	Wash affected areas with copious quantities of water immediately. Remove contaminated clothing and wash before re-use. If persistent irritation occurs, obtain medical attention.
Eye contact	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. Seek medical attention.
<b>First Aid Facilities</b>	Maintain eyewash fountain and safety shower in work area.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of the patient. If swallowed, large amounts of oxygen may be released quickly. The distention of the stomach or esophagus may be injurious. Insertion of a gastric tube may be advisable.
Other Information	For advice, contact a Poisons Information Centre (Phone eg Australia 13 1126; New Zealand 0800 764 766) or a doctor at once.

#### 5. Fire-fighting measures

Hazards from Combustion Products	May liberate toxic fumes such as oxygen gas.
Specific Methods	Use extinguishing media most appropriate for the surrounding fire.
Specific hazards arising from the chemical	Material does not burn. Fire or heat may produce irritating, poisonous and/or corrosive gases. Heating causes decomposition which liberates oxygen gas. Runoff may pollute waterways.
Precautions in connection with Fire	Wear SCBA and structural firefighter's uniform.

#### 6. Accidental release measures

Personal Precautions	Avoid inhalation, contact with skin, eyes and clothing.
<b>Personal Protection</b>	Wear protective clothing specified for normal operations (see Section 8)
Clean-up Methods - Small Spillages	Absorb or contain liquid with sand, earth or spill control material. Shovel up using non sparking tools and place in a labelled, sealable container for subsequent safe disposal. Put leaking containers in a labelled drum or overdrum.

#### 7. Handling and storage

Precautions for Safe	Do not breathe vapour. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure.
Handling	Unsuitable working materials include various metals.
Conditions for safe storage, including any incompatibilities	Store in cool place and out of direct sunlight. Keep containers securely sealed and protected against physical damage. Keep out of reach of children. Do not reuse empty containers. Containers of this material may be hazardous when empty since they retain product residues (vapours, liquid). Keep in a well-ventilated place Store away from combustible materials. Store below +25 °C. Long term storage not recommended.

#### 8. Exposure controls/personal protection

Occupational	Name	STEL	TWA
exposure limit values			



Page: 3 of 5

11.5

Infosafe No™ 1CH7Z Issue Date :October 2020 RE-ISSUED by CHEMSUPP

#### Product Name HYDROGEN PEROXIDE 6%

#### Classified as hazardous

	mg/m3 ppm mg/m3 ppm Footnote
	Hydrogen peroxide 1.4 1
Other Exposure Information	These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity. A time weighted average (TWA) has been established for hydrogen peroxide (Safe Work Australia) of 1.4 mg/m <sup>3</sup> , (1 ppm). The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. Maintain the concentrations values below the TWA. This may be achieved by
Appropriate engineering controls	process modification, use of local exhaust ventilation, capturing substances at the source, or other methods.
Respiratory Protection	Where ventilation is not adequate, respiratory protection may be required. Avoid breathing vapours or mists. Select and use respirators in accordance with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. When mists or vapours exceed the exposure standards then the use of the following is recommended: Approved respirator with organic vapour and dust/mist filters. Filter capacity and respirator type depends on exposure levels.
Eye Protection	The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.
Hand Protection	Wear gloves of impervious material conforming to AS/NZS 2161: Occupational protective gloves - Selection, use and maintenance. Final choice of appropriate glove type will vary according to individual circumstances. This can include methods of handling, and engineering controls as determined by appropriate risk assessments. Avoid skin contact when removing gloves from hands, do not touch the gloves outer surface. Dispose of gloves as hazardous waste.
Personal Protective Equipment	Personal protective equipment should not solely be relied upon to control risk and should only be used when all other reasonably practicable control measures do not eliminate or sufficiently minimise risk. Guidance in selecting personal protective equipment can be obtained from Australian, Australian/New Zealand or other approved standards.
Footwear	Safety boots in industrial situations is advisory, foot protection should comply with AS 2210, Occupational protective footwear - Guide to selection, care and use. Recommendation: Rubber boots.
Body Protection	Clean clothing or protective clothing should be worn, preferably with an apron. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.
Hygiene Measures	Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

#### 9. Physical and chemical properties

Form	Liquid
Appearance	Colourless liquid.
Odour	Weak pungent to odourless.
Solubility in Water	Miscible.
Solubility in Organic Solvents	Soluble in alcohol.
Specific Gravity	1.02
Flammability	Non combustible material. Liberates oxygen - sustains fires.
Molecular Weight	34.01

$\square$	
G	
chem-	supply

#### Page: 4 of 5

Infosafe No™ 1CH7Z

Issue Date :October 2020 RE-ISSUED

RE-ISSUED by CHEMSUPP

#### Product Name HYDROGEN PEROXIDE 6%

Classified as hazardous

10. Stability and 1	reactivity
Chemical Stability	Breaks down in sunlight, unstable with heat or contamination. Liberation of oxygen gas. Strong oxidizing agent. Reacts with other chemicals. Prolonged contact with metals may cause pitting or decolouration. Use extreme caution when attempting any reactions because of fire and explosion potential. Conduct initial experiments in small scale and protect personnel appropriately as reactions are unpredictable and may be delayed.
<b>Conditions to Avoid</b>	Sunlight (decomposes), heat.
Incompatible Materials	Albumin, alkalies, alkali metals, alkali salts, alkali hydroxides, alkaline earth metals, metals, metals in powder form, metallic oxides, metallic salts, ferrous salts, mercurous salts, gold salts, nonmetals, nonmetallic oxides, aldehydes, alcohols, amines, ammonia and their carbonates, hydrazine and derivatives, hydrides, combustible substances, ethers, acids, anhydrides, oxidizing agents, organic substances, peroxi compounds, impurities/dust, permanganates, organic solvents, organic nitro compounds, brass, balsam Peru, phenol, charcoal, chlorides, alkali citrates, hypophosphites, iodides, lime water, permanganates, sulfites and tinctures.
Hazardous	May liberate toxic fumes such as oxygen gas.
Decomposition Products	
Hazardous Polymerization	Will not occur.
11. Toxicological	Information
Ingestion	May cause irritation to the mucous membranes of the mouth, pharynx, oesophagus
Ingestion	and gastrointestinal tract with upper abdominal pain, 'heartburn', nausea, vomiting, and diarrhea. 'Coffee grounds' vomitus and 'black tarry' stools may occur as a result of gastrointestinal bleeding. After absorption of large quantities there is a risk of perforation in the oesophagus and stomach.
Inhalation	Vapour may cause irritation to the nose, throat and upper respiratory tract, nausea and headache, possible difficulty in breathing and shortness of breath.
Skin	Irritating to skin. Contact may result in drying, rash, discomfort and bleaching of the skin and hair.
Eye	Causes serious eye irritation. Splashes in the eye can cause severe eye damage with ulceration of the cornea, and may cause eye damage.
Respiratory sensitisation	Not classified based on available information.
Skin Sensitisation	Not classified based on available information.
Germ cell mutagenicity	Not classified based on available information.
Carcinogenicity	Hydrogen peroxide [7722-84-1] is evaluated in the IARC Monographs (Vol. 36, Suppl. 7, Vol. 71; 1999) as Group 3: Not classifiable as to carcinogenicity to humans.
Reproductive Toxicity	Not classified based on available information.
STOT-single exposure	Not classified based on available information.
STOT-repeated exposure	Not classified based on available information.
Chronic Effects Serious eye	Potential symptoms of overexposure are irritation of eyes, nose, throat and skin, corneal ulceration, erythema, vesicles on skin and bleaching of hair. H319 Causes serious eye irritation.
damage/irritation Mutagenicity	No evidence of mutagenic properties.

#### **12. Ecological information**

Ecotoxicity When used properly, no impariments in the function of waste-water-treatment plants are to be expected.

# 23

## Safety Data Sheet

### Page: 5 of 5

chem-supply								
Infosafe No™	1CH7Z	Issue	Date	:October 2020	RE-ISSUED	by C	HEMSUI	<u>P</u> P
Product Name	HYDROGEN	PEROXIDE	<b>6</b> %					
		Cla	assifie	d as hazardous				
Persistence and degradability	Readily bi	.odegradable	. Dcomp	oosition products: wa	ater and oxygen.			
Mobility	soils.	bility ther	efore m	ay spread in water s	systems, highly	mobile	e in	
Bioaccumulative Potential	Unlikely.							
Environmental Protection	Do not all	.ow to enter	waters	, waste water, or so	pil!			
13. Disposal consid	derations							
Disposal Considerations				recovery or recycl state and federal of				
14. Transport info	rmation							
Transport Information				s Good according to by Road and Rail.	the Australian	Code f	or the	
15. Regulatory inf	ormation							
Regulatory Information	Australiar listed und	n Industrial der WHS Regu	Chemic lation	dients in this formu- als Introduction Sch 2011, Schedule 10 - restricted hazardous	neme (AICIS) rec Prohibited card	pulatic	ons. No	эt
Poisons Schedule	S5	5						
16. Other Informa	ntion							
Literature References	of Austral National F	lia. Road Transpo	rt Comm	cheduling of Medicine Mission, 'Australian Rail 7th. Ed.'.				lt
	Safe Work Data Sheet	Australia, s for Hazar	'Nation dous Ch	al Code of Practice	-			-
	Safe Work	Australia,	'Hazar	ustralia/Standards M dous Chemical Inform onal Code of Practice	nation System'.	ing of	Safo	
	Work Hazar Safe Work	dous Substa Australia,	nces'. 'Nation	al Exposure Standard		-		nt
<b>Contact Person/Point</b>		cupational E cthy Ph. (08			STATEMENT:			
Contact I CISON/I Onit	All inform representa since data and the co make no wa or accurato responsibi obtained k	nation provi atives is co a, safety st onditions of arranty eith cy to the in lity whatso by customers on informati	ded in mpiled andards handli er expr formati ever fo from u	this data sheet or h from the best knowled and government regu- ing and use, or misus ressed or implied, with on contained herein or its accuracy or for asing the data and di- rided in this data sh	by our technical edge available t ulations are sub se, are beyond o ith respect to t . Chem-Supply ac or any results t isclaims all lia	o us. oject t our con che com cepts chat ma bility	trol, r npletene no y be for	ge we
<b>F</b>	н202							
Empirical Formula & Structural Formula								

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.