

# SAFETY DATA SHEET

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
Revision Date Jun 01, 2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name DIMETHYLSULPHOXIDE

CAS-No. 67-68-5

Product code AH1055, AR1054, GC1334, GP1054, HS1334, IR1334, LC1334,

RP1054

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for analysis and production.

1.3 Details of the supplier of the safety data sheet

Company ChemSupply Australia Pty Ltd

38 - 50 Bedford Street, Gillman SA 5013 Australia

Telephone number (08) 8440 2000 Fax number (08) 8440 2001

1.4 Emergency Telephone Number

Emergency phone

Monday - Friday 8:30am - 5:00pm ACST (08) 8440 2000

After hours: CHEMCALL 1800127406 / +6449179888

1.5 Manufacturer

Company RCI LABSCAN LIMITED.

24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

This substance is not hazardous according to Regulation (EC) No. 1272/2008 and Directive 67/548/EEC.

## 2.2 Label elements

This substance is not need to be labelled in according to Regulation (EC) No. 1272/2008.

2.3 Other hazards None

## **SECTION 3: Composition/information on ingredients**

3.1 Substances

Synonyms Dimetylsulfoxide, sulfinylbis- Methane, Methylsulfinylmethane, DMSO

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % 67-68-5 200-664-3 -  $(CH_3)_2SO$  78.13 g/mol =<100

## Hazardous ingredients according to WHS Regulations (Australia)

This substance is not hazardous ingredients according to Regulation (EC) No 1272/2008.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

RCI Labscan Limited. Page 1 of 7

Inhalation Move to fresh air in case of accidental inhalation of vapors. Keep patient warm. In case of

shortness of breath, give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose.

Use suitable instruments/apparatus.

Skin contact Remove contaminated clothing and wash affected skin with soap and water. If signs of

poisoning appear, treat as for inhalation. Obtain medical attention. Wash contaminated clothing before reuse. Contaminated combustible material, e.g. clothing ignites more

readily and burns fiercely.

Eye contact If the substance has got into the eyes, immediately wash out with plenty of water at least

15 minutes. Obtain medical attention.

Ingestion Rinse mouth. Do not induce vomiting. Keep patient warm. In case of shortness of breath,

give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose. Use suitable instruments/apparatus. Obtain medical attention. Never give anything by mouth to an

unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

After swallowing, make a victim drink plenty of water. Subsequently administer; Laxative, Sodium Sulfate 1 tablespoon/250 ml of water.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguish with carbon dioxide, dry chemical or foam. In the event of fire, cool tanks with water spray.

#### 5.2 Special hazards arising from the substance or mixture

Vapors may form explosive mixture with air at ambient temperature. Flash back possible over considerable distance.

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

#### 5.4 Hazchem Code

None

#### 5.5 Further information

Standard procedure for chemical fires. Prevent firefighting water from entering surface water or groundwater.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Do not breathe vapors or spray mist. Wear a positive-pressure supplied-air respirator, flame retardant antistatic protective clothing. Shut off leaks if without risk. Keep people away from and upwind of spill/leak.

## 6.2 Environmental precautions

Contain or absorb leaking liquid with sand or earth, consults an expert. Prevent liquid entering sewers, basements and workpits. If substance has entered a water course or sewer or contaminated soil, advise police.

RCI Labscan Limited. Page 2 of 7

#### 6.3 Methods and materials for containment and cleaning up

Spillage: May react with combustible substances creating fire or explosion hazard and formation of toxic fumes. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Soak up with inert absorbent material (e.g. sand, silica gel or chemical absorbent pads). Prevent liquid entering sewers, basements and workpits; vapor may create explosive atmosphere. Transfer to covered steel drums. Dispose of promptly.

#### 6.4 Reference to other sections

For disposal see Section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Keep container tightly closed. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. Do not empty into drains.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep out of direct sunlight and away from incompatible materials. Store in original container. Electrical equipment should be protected to the appropriate standard.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Exposure limit (Safe Work Australia)**

Not Available

#### 8.2 Exposure controls

## Appropriate engineering controls

The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Ventilation hoods and fans required when working with organic solvents or in hot melt applications.

# Individual protection measures (Personal protective equipment, PPE) Eye/face protection

Goggles giving complete protection to eyes.

#### Skin protection

Chemical resistant apron / flame retardant antistatic protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from polychloroprene material.
- Splash contact wears gloves from natural rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

#### **Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment. Required when vapor/aerosols are generated filter A (EN 141 or EN 14387).

## **Environmental exposure controls**

Prevent liquid entering sewers, basements and workpits.

RCI Labscan Limited. Page 3 of 7

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance: Form Liquid : Color Colorless

Odour Characteristic
Odour Threshold Not Available
pH Not Available

 $\begin{array}{lll} \mbox{Melting point/range} & 18.5 \ ^{\circ}\mbox{C} \\ \mbox{Boiling point/range} & 189 \ ^{\circ}\mbox{C at 1013 hPa} \\ \mbox{Flash point} & 95 \ ^{\circ}\mbox{C (closed cup)} \\ \end{array}$ 

Evaporation rate

Flammability (solid, gas)

Explosion limits: lower
upper

Not Available

Not Available

1.8 % (V)

63.0 % (V)

Vapor Pressure 0.6 hPa at 20°C

Relative Vapor Density 2.7

Density

Density

1.100 g/ml at 20°C

Water solubility

Soluble at 20°C

Partition coefficient (n-octanol/water)

Auto-Ignition temperature

Decomposition Temperature

Viscosity

2.14 mPa.s at 20°C

Explosive properties

1.100 g/ml at 20°C

Not Available at 20°C

Not Available

Not Explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Hygroscopic.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Risk of explosion in contact with nitric acid, acetanilide, benzene sulfonyl chloride, diborane, diisothiocyanate, disulphurdichloride, iodine pentafluoride, metal chlorates, metal perchlorates, metal nitrates, sodium hydride, sodium isopropoxide, oxalic acid chloride, perchloric acid and its salts, phosphorus oxides and chlorides, sulphur chlorides, silver fluorides, tetrachloro silane, thionyl chloride, trifluoro acetic anhydride.

The substance can react dangerously with strong oxidizing agents, alkali metals, strong reducing agents, strong acids, boron compounds, aliphatic chlorides, humidity, oxyhalogenic compounds, potassium tert.-butoxide, potassium permanganate, perchlorates, phosphorus halogen compounds, acid chorides, sulphur trioxide, silver chloride, nitrogen dioxide.

The substance forms an explosive mixture with air on heating.

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

Alkali metals, iron(III) compound, hydrides, nitrates, halogen-halogen compounds, perchloric acid and salt, perchlorates, chlorates, nonmetallic oxyhalides, oxyhalogenic compounds, acid halides, sulfur trioxide, sulfur oxide, phosphorus oxide, nitric acid, silver salt, silicon compound, nitrogen oxides, potassium permanganate, ketones, halogenated hydrocarbons, strong oxidizing agents.

Unsuitable working materials: Various plastic, metals in the presence of atmospheric oxygen and/or moisture.

RCI Labscan Limited. Page 4 of 7

#### 10.6 Hazardous decomposition products

Sulfur oxides, Carbon monoxides, Carbon dioxides (Hazardous decomposition products from under fire condition).

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD<sub>50</sub> (oral, rat): 14500 mg/kg LD<sub>50</sub> (dermal, rat): 40000 mg/kg

## Acute oral toxicity

Not Available

## Acute inhalation toxicity

Not Available

#### Skin corrosion/irritation

Slight irritations, danger of skin absorption.

## Serious eye damage/eye irritation

Slight irritations.

## Respiratory or skin sensitization

Sensitization test (guinea pig) is negative.

#### Germ cell mutagenicity

Bacterial mutagenicity; Ames test is negative.

No indication of mutagenic activity.

## Carcinogenicity

No indication of carcinogenic activity.

#### Reproductive toxicity

Not Available.

## Teratogenicity

No teratogenic effect in animal experiments.

## Specific target organ toxicity (STOT) - single exposure

Not Available.

# Specific target organ toxicity (STOT) - repeated exposure

Not Available

## **Aspiration hazard**

Not Available

#### **Further information**

Possible symptoms after uptake; CNS disorders, nausea, tiredness, headache.

Damage of liver and kidneys.

The product should be handled with the care usual when dealing with chemicals.

RCI Labscan Limited. Page 5 of 7

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish LC<sub>50</sub> O. mykiss: 38500 mg/l/96h.

Toxicity to bacteria EC<sub>10</sub> Activated sludge: 10-100 mg/l/30 min.

EC<sub>10</sub> Ps. Putida: 7100 mg/l/16h.

#### 12.2 Persistence and degradability

Biodegradability 3.1% /14d. Biologically not readily biodegradable.

## 12.3 Bioaccumulative potential

Partition coefficient (n-octanol/water) log Pow: -1.35 (experimental).

No bioaccumulation is to be expected (log P o/w <1)

## 12.4 Mobility in soil

Not Available

#### 12.5 Other adverse effects

Do not allow to enter waters, waste water or soil.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

## Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

## **SECTION 14: Transport information**

Not subject to transport regulations.

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Regulatory Information** Listed in the Australian Inventory of Chemical Substances (AICS).

Poisons Schedule S6

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

RCI Labscan Limited. Page 6 of 7

## **SECTION 16: Other information**

#### **Recommended restrictions**

Take notice of labels and safety data sheets for the working. Chemicals Take necessary action to avoid static electricity discharge.

#### Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany, Source: IFA for Databases on hazardous substances (GESTIS).

#### **Further information**

Contact Chem - Supply Pty Ltd Ph. (08) 8440 2000.

#### **Revision Date**

01/06/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

RCI Labscan Limited. Page 7 of 7