

Infosafe No™ 1CH7T Issue Date : November 2021 RE-ISSUED by CHEMSUPP

Product Name **UNIVERSAL INDICATOR Solution (pH 3 - pH 11)**

Classified as hazardous

1. Identification

GHS Product Identifier UNIVERSAL INDICATOR Solution (pH 3 - pH 11)

Company Name CHEMSUPPLY AUSTRALIA PTY LTD (ABN 19 008 264 211)

Address 38 - 50 Bedford Street GILLMAN
SA 5013 Australia

Telephone/Fax Number Tel: (08) 8440-2000

Emergency phone number CHEMCALL 1800 127 406 (Australia) / +64-4-917-9888 (International)

E-mail Address www.chemsupply.com.au

Recommended use of the chemical and restrictions on use pH indicator solution

| Other Names | <u>Name</u> | <u>Product Code</u> |
|--------------------|---|----------------------------|
| | UNIVERSAL INDICATOR Solution (pH 3 - pH 11) | UL000 |

Other Information

ChemSupply Australia Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon ChemSupply Australia Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of ChemSupply Australia Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.

2. Hazard Identification

GHS classification of the substance/mixture Eye Damage/Irritation: Category 2A
Flammable Liquids: Category 2

Signal Word (s) DANGER

Hazard Statement (s) H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Pictogram (s) Flame, Exclamation mark



Precautionary statement – Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement – Response

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Infosafe No™ 1CH7T Issue Date : November 2021 RE-ISSUED by CHEMSUPP

Product Name **UNIVERSAL INDICATOR Solution (pH 3 - pH 11)**

Classified as hazardous

Precautionary statement – Storage Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
Precautionary statement – Disposal P370+P378 In case of fire: Use dry sand, dry chemical or alcohol resistant foam for extinction.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container to an approved waste disposal plant.

3. Composition/information on ingredients

| Ingredients | Name | CAS | Proportion |
|-------------|----------------------------|-----------|-------------|
| | Ethanol denatured | 64-17-5 | 50-60 % |
| | Water | 7732-18-5 | 40-50 % |
| | Bromothymol blue | 76-59-5 | 0.03-0.04 % |
| | Phenolphthalein | 77-09-8 | 0.03-0.04 % |
| | Methyl red, sodium salt | 845-10-3 | 0.01-0.02 % |
| | Sodium hydroxide | 1310-73-2 | 0.005 % |
| | Methyl orange, sodium salt | 547-58-0 | 0.005 % |

4. First-aid measures

Inhalation If inhaled, remove from contaminated area to fresh air immediately. Apply artificial respiration if not breathing. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.

Ingestion Rinse mouth thoroughly with water immediately, repeat until all traces of product have been removed. DO NOT INDUCE VOMITING. Seek medical advice if effects persist.

Skin Wash affected areas with copious quantities of water. Remove contaminated clothing and wash before re-use. If persistent irritation occurs, obtain medical attention.

Eye contact Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. If rapid recovery does not occur, obtain medical attention

First Aid Facilities Maintain eyewash fountain and safety shower in work area.

Advice to Doctor Treat symptomatically based on judgement of doctor and individual reactions of the patient.

Other Information For advice, contact a Poisons Information Centre (Phone eg Australia 13 1126; New Zealand 0800 764 766) or a doctor.

5. Fire-fighting measures

Hazards from Combustion Products Irritating and toxic fumes and gases, acrid smoke and fumes, oxides of sulfur, carbon, nitrogen and sodium, sodium, hydrogen bromide and phenols.

Specific Methods Caution: Use of water spray when fighting fire may be inefficient.
Small fire: Use foam, dry chemical, CO2 or water spray.
Large fire: Use foam, fog or water spray - Do not use water jets.
If safe to do so, move undamaged containers from fire area. Cool containers with flooding quantities of water until well after fire is out. Avoid getting water inside containers.

Specific hazards arising from the chemical HIGHLY FLAMMABLE: Low flash point - Will be easily ignited by heat, sparks or flames at ambient temperatures. Vapours will form explosive mixtures with air. Vapours will travel to source of ignition and flash back. Fire may produce irritating, poisonous and/or corrosive gases. Containers may explode when heated. The liquids is lighter than water. Vapours are heavier than air and will collect in low or confined areas (drains, basements, tanks). Vapours from run-off may create an explosion hazard.

Hazchem Code •3YE

Precautions in connection with Fire SCBA and structural firefighter's uniform may provide limited protection. Fully-encapsulating, gas-tight suits should be worn for maximum protection.

Infosafe No™ 1CH7T Issue Date : November 2021 RE-ISSUED by CHEMSUPP

Product Name **UNIVERSAL INDICATOR Solution (pH 3 - pH 11)**

Classified as hazardous

6. Accidental release measures

| | |
|------------------------------|--|
| Spills & Disposal | ELIMINATE all ignition sources (no smoking, flares, sparks or flame) within at least 50m - All equipment used in handling the product must be earthed. Do not touch or walk through spilled material. Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Vapour-suppressing foam may be used to control vapours. Absorb spill with earth, sand or other non-combustible material - Use clean, non-sparking tools to collect material and place it in loosely-covered metal or plastic containers for later disposal. Water spray may be used to knock down or divert vapour clouds. SEEK EXPERT ADVICE ON HANDLING AND DISPOSAL. |
| Personal Precautions | Evacuate the area of all non-essential personnel. Avoid inhalation, contact with skin, eyes and clothing. Take precautionary measures against static discharge. |
| Personal Protection | Wear protective clothing specified for normal operations (see Section 8) |

7. Handling and storage

| | |
|---|---|
| Precautions for Safe Handling | Avoid ingestion and inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Use only in a well-ventilated area. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Keep container tightly closed. Keep away from heat, sparks and flame. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Empty containers retain product residue, (liquid and/or vapour), and can be dangerous. |
| Conditions for safe storage, including any incompatibilities | Flammables-area. Store in tightly closed containers, in a cool, dry, well-ventilated area, away from incompatible substances. Keep away from heat and all sources of ignition (sparks and flame). Keep from contact with oxidizing materials. Do not store near perchlorates, peroxides, chromic acid or nitric acid. |
| Corrosiveness | Ethanol is not corrosive to cast iron, steel stainless steel, copper and its alloys, nickel and its alloys and aluminium. May react with hot aluminium. |
| Storage Regulations | Refer Australian Standard AS 1940-2017 'The storage and handling of flammable and combustible liquids'. |
| Storage Temperatures | Store at room temperature (15 to 25 °C recommended). |

8. Exposure controls/personal protection

| | |
|---|--|
| Other Exposure Information | These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity. A time weighted average (TWA) has been established for Sodium hydroxide (Safe Work Australia) of 2 mg/m ³ (Peak limitation) and for Ethyl alcohol (Safe Work Australia) of 1,880 mg/m ³ , (1,000 ppm). The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. Peak Limitation - a ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes. |
| Appropriate engineering controls | In industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. |
| Respiratory Protection | Where ventilation is not adequate, respiratory protection may be required. Avoid breathing vapours or mists. Select and use respirators in accordance with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. When mists or vapours exceed the exposure standards then the use of the following is recommended: Approved respirator with organic vapour and |

| | | |
|--------------------|----------------------------|-----------------------|
| Infosafe No™ 1CH7T | Issue Date : November 2021 | RE-ISSUED by CHEMSUPP |
|--------------------|----------------------------|-----------------------|

Product Name **UNIVERSAL INDICATOR Solution (pH 3 - pH 11)**

Classified as hazardous

| | |
|--------------------------------------|---|
| Eye Protection | dust/mist filters. Filter capacity and respirator type depends on exposure levels. The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336. |
| Hand Protection | Wear gloves of impervious material conforming to AS/NZS 2161: Occupational protective gloves - Selection, use and maintenance. Final choice of appropriate glove type will vary according to individual circumstances. This can include methods of handling, and engineering controls as determined by appropriate risk assessments. Avoid skin contact when removing gloves from hands, do not touch the gloves outer surface. Dispose of gloves as hazardous waste. |
| Personal Protective Equipment | Personal protective equipment should not solely be relied upon to control risk and should only be used when all other reasonably practicable control measures do not eliminate or sufficiently minimise risk. Guidance in selecting personal protective equipment can be obtained from Australian, Australian/New Zealand or other approved standards. |
| Footwear | Rubber boots. |
| Body Protection | Wear anti-static protective clothing if there is a risk of ignition from static electricity. Clean impervious clothing should be worn. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals. |
| Hygiene Measures | Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using. |

9. Physical and chemical properties

| | |
|---------------------------------------|--|
| Form | Liquid |
| Appearance | Green solution which may develop a red colour during storage. |
| Odour | Ethanollic odour. |
| Freezing Point | -37 °C |
| Solubility in Water | Soluble. |
| Solubility in Organic Solvents | Easily soluble in n-octanol. Soluble in methanol, diethyl ether, acetone. |
| Specific Gravity | ~0.8 |
| Vapour Pressure | Ethanol: 5.9 kPa (44.3 mm Hg) at 20 °C. |
| Vapour Density (Air=1) | Ethanol: 1.59. |
| Evaporation Rate | >1 (ether=1) |
| Odour Threshold | Ethanol: 49-716 ppm (geometric mean: 180 ppm) (detection); 100 ppm (recognition). |
| Flash Point | 22 °C |
| Flammability | HIGHLY FLAMMABLE. Keep away from heat, sparks or naked flames. Use flameproof equipment and fittings to prevent flammability risk. Electrically link and ground metal containers for transfer of the product to prevent accumulation of static electricity. Ensure adequate ventilation to prevent an explosive vapour-air mixture. Vapours will travel considerable distances to sources of ignition. |
| Flammable Limits - Lower | 2.0 vol % |
| Flammable Limits - Upper | 12.0 vol% |
| Explosion Properties | Can release vapours that form explosive mixtures at temperatures above the flashpoint. Containers may explode in the heat of a fire. |
| Saturated Vapour Concentration | Ethanol: 58300 ppm (5.8%) at 20 °C (calculated) |

Infosafe No™ 1CH7T Issue Date : November 2021 RE-ISSUED by CHEMSUPP

Product Name **UNIVERSAL INDICATOR Solution (pH 3 - pH 11)**

Classified as hazardous

10. Stability and reactivity

| | |
|---|--|
| Chemical Stability | Stable under normal temperatures and pressures. |
| Conditions to Avoid | Incompatible materials, ignition sources, excess heat, oxidizers. |
| Incompatible Materials | Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide. |
| Hazardous Decomposition Products | Irritating and toxic fumes and gases, oxides of sulfur, carbon, nitrogen and sodium, sodium, hydrogen bromide and phenols. |
| Hazardous Polymerization | Will not occur. |

11. Toxicological Information

| | |
|--------------------------------------|--|
| Acute Toxicity - Oral | LD50 (rat): 7060 mg/kg - Ethanol; |
| Acute Toxicity - Dermal | LD50 (rabbit): 15800 mg/kg - Ethanol (anhydrous substance); |
| Acute Toxicity - Inhalation | LD50 (rat): 38mg/l/10h - Ethanol. |
| Ingestion | May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, drowsiness, and nausea. Advanced stages may cause collapse, unconsciousness, coma and possible death due to respiratory failure. |
| Inhalation | Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma. Causes respiratory tract irritation. May cause narcotic effects in high concentrations. Vapours may cause dizziness or suffocation. |
| Skin | Causes moderate skin irritation. May be absorbed through the skin. May cause cyanosis of the extremities. |
| Eye | Causes severe eye irritation. May cause painful sensitization to light. May cause chemical conjunctivitis and corneal damage. |
| Respiratory sensitisation | Not classified based on available information. |
| Skin Sensitisation | Not classified based on available information. |
| Germ cell mutagenicity | Not classified based on available information. |
| Carcinogenicity | Not classified based on available information. |
| Reproductive Toxicity | Not classified based on available information. |
| STOT-single exposure | Not classified based on available information. |
| STOT-repeated exposure | Not classified based on available information. |
| Aspiration Hazard | Not classified based on available information. |
| Chronic Effects | Prolonged exposure to ethanol may cause liver, kidney, and heart damage. |
| Serious eye damage/irritation | Eye Damage/Irritation: Category 2A H319 Causes serious eye irritation. |
| Skin corrosion/irritation | Not classified based on available information. |

12. Ecological information

| | | |
|--------------------|----------------------------|-----------------------|
| Infosafe No™ 1CH7T | Issue Date : November 2021 | RE-ISSUED by CHEMSUPP |
|--------------------|----------------------------|-----------------------|

Product Name **UNIVERSAL INDICATOR Solution (pH 3 - pH 11)**

Classified as hazardous

| | |
|--------------------------------------|---|
| Ecological Information | No ecological problems are to be expected when the product is handled and used with due care and attention. |
| Ecotoxicity | When used properly, no impairments in the function of waste-water-treatment plants are to be expected. In high concentrations: Harmful effect on aquatic organisms. |
| Persistence and degradability | Ethanol: Abiotic degradation: Rapid degradation. (air) Biologic degradation: Biodegradation: 94 % modified OECD screening test; Readily biodegradable. Further ecologic data: BOD: 0.93-1.67 g/g; COD: 1.99 g/g; ThOD: 2.10 g/g; BOD 74 % of ThOD /5 d; COD 90 % of ThOD. |
| Mobility | Distribution: log P(oct): -0.32 (ethanol). |
| Bioaccumulative Potential | No bioaccumulation is to be expected (log P(o/w <1) (ethanol). |
| Environmental Protection | Do not allow to enter waters, waste water, or soil! |
| Acute Toxicity - Fish | LC50 (L.idus): 8140 mg/l /48 h (ethanol). |
| Acute Toxicity - Daphnia | EC50 (Daphnia magna): 9268-14221 mg/l /48 h (ethanol). |

13. Disposal considerations

| | |
|--------------------------------|--|
| Disposal Considerations | Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and disposed of according to relevant local, state and federal government regulations. |
|--------------------------------|--|

14. Transport information

| | |
|-----------------------------------|--|
| Transport Information | Dangerous Goods of Class 3 Flammable Liquids, are incompatible in a placard load with any of the following: - Class 1, Class 2.1, if both the Class 3 and Class 2.1, dangerous goods are in bulk, Class 2.3, Class 4.2, Class 5, Class 6, if the Class 3 dangerous goods are nitromethane and Class 7. |
| U.N. Number | 1993 |
| UN proper shipping name | FLAMMABLE LIQUID, N.O.S. |
| Transport hazard class(es) | 3 |
| Hazchem Code | •3YE |
| Packing Group | II |
| EPG Number | 3A1 |
| IERG Number | 14 |
| Environmental Hazards | When used properly, no impairments in the function of waste-water-treatment plants are to be expected. In high concentrations: Harmful effect on aquatic organisms. |

15. Regulatory information

| | |
|-------------------------------|--|
| Regulatory Information | All the constituents of this product are listed on the Australian Inventory of Chemical Substances (AICS), or exempted. Not listed under WHS Regulation 2011, Schedule 10 - Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. |
| Poisons Schedule | Not Scheduled |

16. Other Information

| | |
|------------------------------|--|
| Literature References | 'Standard for the Uniform Scheduling of Medicines and Poisons .', Commonwealth of Australia. National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road and Rail 7th. Ed.'. Safe Work Australia, 'National Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals'. Standards Australia, 'SAA/SNZ HB 76:2010 Dangerous Goods - Initial Emergency |
|------------------------------|--|

| | | |
|--------------------|----------------------------|-----------------------|
| Infosafe No™ 1CH7T | Issue Date : November 2021 | RE-ISSUED by CHEMSUPP |
|--------------------|----------------------------|-----------------------|

Product Name **UNIVERSAL INDICATOR Solution (pH 3 - pH 11)**

Classified as hazardous

Response Guide', Standards Australia/Standards New Zealand.
Safe Work Australia, 'Hazardous Chemical Information System'.
Safe Work Australia, 'National Code of Practice for the Labelling of Safe
Work Hazardous Substances'.
Safe Work Australia, 'National Exposure Standards for Atmospheric Contaminants
in the Occupational Environment'.

Contact Person/Point

Paul McCarthy Ph. (08) 8440 2000 **DISCLAIMER STATEMENT:**
All information provided in this data sheet or by our technical
representatives is compiled from the best knowledge available to us. However,
since data, safety standards and government regulations are subject to change
and the conditions of handling and use, or misuse, are beyond our control, we
make no warranty either expressed or implied, with respect to the completeness
or accuracy to the information contained herein. ChemSupply Australia Pty Ltd
accepts no responsibility whatsoever for its accuracy or for any results that
may be obtained by customers from using the data and disclaims all liability
for reliance on information provided in this data sheet or by our technical
representatives.
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.